

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0439151212](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	<table><tr><th>MATERIAL NUMBER</th><th>CIRCUITS</th><th>DRH 'A'</th><th>DRH 'B'</th><th>DRH 'C'</th><th>DRH 'D'</th><th>DRH 'E'</th><th>PCB THICKNESS</th><th>QUANTITY OF POLARIZING SLOTS</th><th>TERMINAL PLATING</th><th>STATUS</th></tr><tr><td>43915-001</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>3.50/1.197</td><td>1.80/0.719</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-002</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>3.50/1.197</td><td>1.80/0.719</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-003</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>1.80/0.719</td><td>50.90/2.004</td><td>1.57/1.062</td><td>2</td><td></td><td></td></tr><tr><td>43915-004</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>3.50/1.197</td><td>1.80/0.719</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-005</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>3.50/1.197</td><td>1.80/0.719</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-006</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.09</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-007</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>5.10/2.09</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-008</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.09</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-009</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.09</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td>SELECT GOLD (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-010</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.09</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-011</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.09</td><td>3.40/1.134</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-012</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>5.10/2.09</td><td>3.40/1.134</td><td>40.90/1.610</td><td>3.18/1.125</td><td>2</td><td></td><td></td></tr><tr><td>43915-013</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.09</td><td>3.40/1.134</td><td>50.90/2.004</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-014</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.09</td><td>3.40/1.134</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-015</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.09</td><td>3.40/1.134</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-016</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>8.30/3.271</td><td>6.58/2.599</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-017</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>8.30/3.271</td><td>6.58/2.599</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-018</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>8.30/3.271</td><td>6.58/2.599</td><td>50.90/2.004</td><td>6.35/1.250</td><td>2</td><td></td><td></td></tr><tr><td>43915-019</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>8.30/3.271</td><td>6.58/2.599</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-020</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>8.30/3.271</td><td>6.58/2.599</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-021</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-022</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>3.50/1.197</td><td>1.80/0.719</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-023</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>3.50/1.197</td><td>1.80/0.719</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-024</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>1.80/0.719</td><td>50.90/2.004</td><td>1.57/1.062</td><td>2</td><td></td><td></td></tr><tr><td>43915-025</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>3.50/1.197</td><td>1.80/0.719</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-026</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>3.50/1.197</td><td>1.80/0.719</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-027</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.09</td><td>2.60/1.021</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-028</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>5.10/2.09</td><td>2.60/1.021</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-029</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.09</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr><tr><td>43915-030</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.09</td><td>2.60/1.021</td><td>60.90/2.398</td><td></td><td>2</td><td>SELECT SILVER (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-031</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.09</td><td>2.60/1.021</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-032</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>5.10/2.09</td><td>3.40/1.134</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-033</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>5.10/2.09</td><td>3.40/1.134</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-034</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>5.10/2.09</td><td>3.40/1.134</td><td>50.90/2.004</td><td>3.18/1.125</td><td>2</td><td></td><td></td></tr><tr><td>43915-035</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>5.10/2.09</td><td>3.40/1.134</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-036</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>5.10/2.09</td><td>3.40/1.134</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-037</td><td>6</td><td>3141/1237</td><td>20.00/1.781</td><td>8.30/3.271</td><td>6.58/2.599</td><td>30.90/1.217</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-038</td><td>8</td><td>4141/1630</td><td>30.00/1.181</td><td>8.30/3.271</td><td>6.58/2.599</td><td>40.90/1.610</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-039</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>8.30/3.271</td><td>6.58/2.599</td><td>50.90/2.004</td><td>6.35/1.250</td><td>2</td><td></td><td></td></tr><tr><td>43915-040</td><td>12</td><td>6141/2418</td><td>50.00/1.969</td><td>8.30/3.271</td><td>6.58/2.599</td><td>60.90/2.398</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-041</td><td>14</td><td>7141/2811</td><td>60.00/2.362</td><td>8.30/3.271</td><td>6.58/2.599</td><td>70.90/2.799</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-042</td><td>10</td><td>5141/2024</td><td>40.00/1.575</td><td>3.50/1.197</td><td>2.60/1.021</td><td>50.90/2.004</td><td>2.36/1.093</td><td>2</td><td></td><td></td></tr></table>																				MATERIAL NUMBER	CIRCUITS	DRH 'A'	DRH 'B'	DRH 'C'	DRH 'D'	DRH 'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS	43915-001	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1			43915-002	8	4141/1630	30.00/1.181	3.50/1.197	1.80/0.719	40.90/1.610		2			43915-003	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2			43915-004	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2			43915-005	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2			43915-006	6	3141/1237	20.00/1.781	5.10/2.09	2.60/1.021	30.90/1.217		1			43915-007	8	4141/1630	30.00/1.181	5.10/2.09	2.60/1.021	40.90/1.610		2			43915-008	10	5141/2024	40.00/1.575	5.10/2.09	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-009	12	6141/2418	50.00/1.969	5.10/2.09	2.60/1.021	60.90/2.398		2	SELECT GOLD (SEE LEGEND)	ACTIVE	43915-010	14	7141/2811	60.00/2.362	5.10/2.09	2.60/1.021	70.90/2.799		2			43915-011	6	3141/1237	20.00/1.781	5.10/2.09	3.40/1.134	30.90/1.217		1			43915-012	8	4141/1630	30.00/1.181	5.10/2.09	3.40/1.134	40.90/1.610	3.18/1.125	2			43915-013	10	5141/2024	40.00/1.575	5.10/2.09	3.40/1.134	50.90/2.004		2			43915-014	12	6141/2418	50.00/1.969	5.10/2.09	3.40/1.134	60.90/2.398		2			43915-015	14	7141/2811	60.00/2.362	5.10/2.09	3.40/1.134	70.90/2.799		2			43915-016	6	3141/1237	20.00/1.781	8.30/3.271	6.58/2.599	30.90/1.217		1			43915-017	8	4141/1630	30.00/1.181	8.30/3.271	6.58/2.599	40.90/1.610		2			43915-018	10	5141/2024	40.00/1.575	8.30/3.271	6.58/2.599	50.90/2.004	6.35/1.250	2			43915-019	12	6141/2418	50.00/1.969	8.30/3.271	6.58/2.599	60.90/2.398		2			43915-020	14	7141/2811	60.00/2.362	8.30/3.271	6.58/2.599	70.90/2.799		2			43915-021	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-022	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1			43915-023	8	4141/1630	30.00/1.181	3.50/1.197	1.80/0.719	40.90/1.610		2			43915-024	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2			43915-025	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2			43915-026	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2			43915-027	6	3141/1237	20.00/1.781	5.10/2.09	2.60/1.021	30.90/1.217		1			43915-028	8	4141/1630	30.00/1.181	5.10/2.09	2.60/1.021	40.90/1.610		2			43915-029	10	5141/2024	40.00/1.575	5.10/2.09	2.60/1.021	50.90/2.004	2.36/1.093	2			43915-030	12	6141/2418	50.00/1.969	5.10/2.09	2.60/1.021	60.90/2.398		2	SELECT SILVER (SEE LEGEND)	ACTIVE	43915-031	14	7141/2811	60.00/2.362	5.10/2.09	2.60/1.021	70.90/2.799		2			43915-032	6	3141/1237	20.00/1.781	5.10/2.09	3.40/1.134	30.90/1.217		1			43915-033	8	4141/1630	30.00/1.181	5.10/2.09	3.40/1.134	40.90/1.610		2			43915-034	10	5141/2024	40.00/1.575	5.10/2.09	3.40/1.134	50.90/2.004	3.18/1.125	2			43915-035	12	6141/2418	50.00/1.969	5.10/2.09	3.40/1.134	60.90/2.398		2			43915-036	14	7141/2811	60.00/2.362	5.10/2.09	3.40/1.134	70.90/2.799		2			43915-037	6	3141/1237	20.00/1.781	8.30/3.271	6.58/2.599	30.90/1.217		1			43915-038	8	4141/1630	30.00/1.181	8.30/3.271	6.58/2.599	40.90/1.610		2			43915-039	10	5141/2024	40.00/1.575	8.30/3.271	6.58/2.599	50.90/2.004	6.35/1.250	2			43915-040	12	6141/2418	50.00/1.969	8.30/3.271	6.58/2.599	60.90/2.398		2			43915-041	14	7141/2811	60.00/2.362	8.30/3.271	6.58/2.599	70.90/2.799		2			43915-042	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2			
MATERIAL NUMBER	CIRCUITS	DRH 'A'	DRH 'B'	DRH 'C'	DRH 'D'	DRH 'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-001	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-002	8	4141/1630	30.00/1.181	3.50/1.197	1.80/0.719	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-003	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-004	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-005	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-006	6	3141/1237	20.00/1.781	5.10/2.09	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-007	8	4141/1630	30.00/1.181	5.10/2.09	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-008	10	5141/2024	40.00/1.575	5.10/2.09	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-009	12	6141/2418	50.00/1.969	5.10/2.09	2.60/1.021	60.90/2.398		2	SELECT GOLD (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-010	14	7141/2811	60.00/2.362	5.10/2.09	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-011	6	3141/1237	20.00/1.781	5.10/2.09	3.40/1.134	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-012	8	4141/1630	30.00/1.181	5.10/2.09	3.40/1.134	40.90/1.610	3.18/1.125	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-013	10	5141/2024	40.00/1.575	5.10/2.09	3.40/1.134	50.90/2.004		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-014	12	6141/2418	50.00/1.969	5.10/2.09	3.40/1.134	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-015	14	7141/2811	60.00/2.362	5.10/2.09	3.40/1.134	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-016	6	3141/1237	20.00/1.781	8.30/3.271	6.58/2.599	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-017	8	4141/1630	30.00/1.181	8.30/3.271	6.58/2.599	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-018	10	5141/2024	40.00/1.575	8.30/3.271	6.58/2.599	50.90/2.004	6.35/1.250	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-019	12	6141/2418	50.00/1.969	8.30/3.271	6.58/2.599	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-020	14	7141/2811	60.00/2.362	8.30/3.271	6.58/2.599	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-021	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-022	6	3141/1237	20.00/1.781	3.50/1.197	1.80/0.719	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-023	8	4141/1630	30.00/1.181	3.50/1.197	1.80/0.719	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-024	10	5141/2024	40.00/1.575	3.50/1.197	1.80/0.719	50.90/2.004	1.57/1.062	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-025	12	6141/2418	50.00/1.969	3.50/1.197	1.80/0.719	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-026	14	7141/2811	60.00/2.362	3.50/1.197	1.80/0.719	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-027	6	3141/1237	20.00/1.781	5.10/2.09	2.60/1.021	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-028	8	4141/1630	30.00/1.181	5.10/2.09	2.60/1.021	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-029	10	5141/2024	40.00/1.575	5.10/2.09	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-030	12	6141/2418	50.00/1.969	5.10/2.09	2.60/1.021	60.90/2.398		2	SELECT SILVER (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-031	14	7141/2811	60.00/2.362	5.10/2.09	2.60/1.021	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-032	6	3141/1237	20.00/1.781	5.10/2.09	3.40/1.134	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-033	8	4141/1630	30.00/1.181	5.10/2.09	3.40/1.134	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-034	10	5141/2024	40.00/1.575	5.10/2.09	3.40/1.134	50.90/2.004	3.18/1.125	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-035	12	6141/2418	50.00/1.969	5.10/2.09	3.40/1.134	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-036	14	7141/2811	60.00/2.362	5.10/2.09	3.40/1.134	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-037	6	3141/1237	20.00/1.781	8.30/3.271	6.58/2.599	30.90/1.217		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-038	8	4141/1630	30.00/1.181	8.30/3.271	6.58/2.599	40.90/1.610		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-039	10	5141/2024	40.00/1.575	8.30/3.271	6.58/2.599	50.90/2.004	6.35/1.250	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-040	12	6141/2418	50.00/1.969	8.30/3.271	6.58/2.599	60.90/2.398		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-041	14	7141/2811	60.00/2.362	8.30/3.271	6.58/2.599	70.90/2.799		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
43915-042	10	5141/2024	40.00/1.575	3.50/1.197	2.60/1.021	50.90/2.004	2.36/1.093	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
NOTES: 1. MATERIALS: HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK. TERMINAL: ALLOY #51 PLATING: *TN OVER NICKEL, OR SELECT GOLD AND SELECT TN OVER NICKEL OR SELECT SILVER AND SELECT TN OVER NICKEL (SEE CHART) * THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX I OF DIRECTIVE 2002/95/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TN-LEAD. 2. PRODUCT SPEC: PS-4285-001 3. PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 4. PART MATES WITH MOLEX RECEPTACLE 43914. 5. WHEN USING OVERALL TIN PLATED TERMINALS FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOVEL 7600) ON THE MATING SURFACES OF THE TERMINAL. 6. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN. EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY. 7. PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC: PS-45499-002. 8. REFER AS-4285-001 FOR TN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE. LEGEND: 4 3 9 1 5 - 1 8 - - - PLATING: 1 OR 9 = *TN PLATING 2 = SELECT GOLD AND SELECT TN OVER NICKEL 4 = SELECT SILVER AND SELECT TN OVER NICKEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														


NOTES:

- MATERIALS:
HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK.

TERMINAL: ALLOY 151
PLATING: *TIN OVER NICKEL
OR SELECT GOLD AND SELECT TIN OVER NICKEL
OR SELECT SILVER AND SELECT TIN OVER NICKEL
(SEE CHART)
* THE PRIMARY SHIPPING CARTON WILL BE LABELED
COMPLANT TO RoHS DIRECTIVE 2002/95/EC
AND ELV ANNEX II OF DIRECTIVE 2000/53/EC.
CARTONS WITHOUT THIS LABEL MAY CONTAIN
PRODUCT WITH TIN-LEAD.
- PRODUCT SPEC: PS-42815-001
- PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- PART MATES WITH MOLEX RECEPTACLE 43914.
- WHEN USING OVERALL TIN PLATED TERMINALS:
FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY
RECOMMENDS THE USE OF NYE LUBRICANT (NYOGEL 7600) ON THE MATING
SURFACES OF THE TERMINAL.
- POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END
OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY.
- PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC-PS-45499-002.
- REFER AS-42815-001 FOR TIN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE.

LEGEND:
4 3 9 1 5 - 1 ***

PLATING:
1 OR 9 - TIN PLATING
2 - SELECT GOLD AND SELECT TIN OVER NICKEL
4 - SELECT SILVER AND SELECT TIN OVER NICKEL



QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
SYMBOL	VALUE	MM	INCH	MM/MIN	DATE	2:1	METRIC				
▽=0	4 PLACES	±0.008	±0.0008	DRAWN BY	8/21/19						
▽=0	3 PLACES	±0.012	±0.0012	CHECKED BY	DATE						
▽=0	2 PLACES	±0.020	±0.0020	APPROVED BY	2014/02/13						
▽=0	1 PLACE	±0.030	±0.0030	DATE							
▽=0	0 PLACE	±0.040	±0.0040	DATE							
		ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-43915-002		1 OF 2			
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

MATERIAL NUMBER	CIRCUITS	DMX'N	DMX'B	DMX'C	DMX'D	DMX'E	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS
43915-1001	6	3141/112371	30.00/11871	3.50/11371	1.80/10719	30.90/11271	157/10621	1	OVERALL TN	PLANNED FOR OBSOLESCENCE
43915-1002	8	4141/114301	30.00/11871	3.50/11371	1.80/10719	40.90/116101		2		
43915-1003	10	5141/122041	40.00/115751	3.50/11371	1.80/10719	50.90/122041		2		
43915-1004	12	6141/122419	50.00/115649	3.50/11371	1.80/10719	60.90/122568	2.36/10931	1		
43915-1005	14	7141/122819	60.00/123621	3.50/11371	1.80/10719	70.90/122799		2		
43915-1006	6	3141/112371	30.00/11871	5.10/12011	2.60/111021	36.90/114271		1		
43915-1007	8	4141/114301	30.00/11871	5.10/12011	2.60/111021	46.90/116101	3.18/11251	2		
43915-1008	10	5141/122041	40.00/115751	5.10/12011	2.60/111021	56.90/122041		2		
43915-1009	12	6141/122419	50.00/115649	5.10/12011	2.60/111021	66.90/122568		2		
43915-1010	14	7141/122819	60.00/123621	5.10/12011	2.60/111021	76.90/122799	6.35/12501	1		
43915-1011	6	3141/112371	30.00/11871	5.10/12011	3.40/11341	36.90/114271		2		
43915-1012	8	4141/114301	30.00/11871	5.10/12011	3.40/11341	46.90/116101		2		
43915-1013	10	5141/122041	40.00/115751	5.10/12011	3.40/11341	56.90/122041	6.35/12501	1		
43915-1014	12	6141/122419	50.00/115649	5.10/12011	3.40/11341	66.90/122568		2		
43915-1015	14	7141/122819	60.00/123621	5.10/12011	3.40/11341	76.90/122799		2		
43915-1016	6	3141/112371	30.00/11871	8.30/13271	6.58/12591	36.90/114271	6.35/12501	1		
43915-1017	8	4141/114301	30.00/11871	8.30/13271	6.58/12591	46.90/116101		2		
43915-1018	10	5141/122041	40.00/115751	8.30/13271	6.58/12591	56.90/122041		2		
43915-1019	12	6141/122419	50.00/115649	8.30/13271	6.58/12591	66.90/122568	157/10621	1		
43915-1020	14	7141/122819	60.00/123621	8.30/13271	6.58/12591	76.90/122799		2		
43915-1021	10	5141/122041	40.00/115751	3.50/11371	2.60/111021	50.90/122041		2		
43915-1022	14	7141/122819	60.00/123621	3.50/11371	1.80/10719	70.90/122799		2		

SEE SHEET 1 EC NO. IEP205-2752 DRAWN BY: 2013/12/25 CHKD: 2015/02/09 APPROVED: 2015/02/09 REV: 0	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0	mm	INCH	DRAWN BY	DATE	TITLE		
	▽=0	4 PLACES ± --- ± ---	COMERC I	8/21/1971	VERTICAL HEADER			
	▽=0	3 PLACES ± --- ± .008	CHECKED BY	DATE	DUAL ROW, 6-14 CIRCUIT			
		2 PLACES ± 0.2 ± ---	BR02	2014/02/13	MINI-FIT SR.			
		1 PLACE ± --- ± ---	APPROVED BY	DATE	molex			
		0 PLACE ± --- ± ---	KPRASAD	2015/02/09	DOCUMENT NO. SD-43915-002			
		ANGULAR ±1/2°	MATERIAL NO.		SHEET NO.		2 OF 2	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART					
		SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1