

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0439151213](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
<table><tr><th>MATERIAL NUMBER</th><th>CIRCUITS</th><th>DRH'A'</th><th>DRH'B'</th><th>DRH'C'</th><th>DRH'D'</th><th>DRH'E'</th><th>PCB THICKNESS</th><th>QUANTITY OF POLARIZING SLOTS</th><th>TERMINAL PLATING</th><th>STATUS</th></tr><tr><td>43915-001</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-002</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-003</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>50.90(2.00)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-004</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-005</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-006</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-007</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-008</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-009</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-010</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.79)</td><td></td><td>2</td><td>SELECT GOLD (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-011</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-012</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-013</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>50.90(2.00)</td><td>3.18(1.125)</td><td>2</td><td></td><td></td></tr><tr><td>43915-014</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-015</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-016</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-017</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-018</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.00)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-019</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-020</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-021</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-022</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-023</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-024</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.38)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-025</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-026</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-027</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-028</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-029</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-030</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.79)</td><td></td><td>2</td><td>SELECT SILVER (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-031</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.00)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-032</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-033</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-034</td><td>6</td><td>314V1237</td><td>20.00(1.78)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-035</td><td>8</td><td>414V1630</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-036</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.00)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-037</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-038</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-039</td><td>10</td><td>514V2024</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-040</td><td>12</td><td>614V2418</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>60.90(2.38)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-041</td><td>14</td><td>714V2811</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr></table>																				MATERIAL NUMBER	CIRCUITS	DRH'A'	DRH'B'	DRH'C'	DRH'D'	DRH'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS	43915-001	6	314V1237	20.00(1.78)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-002	8	414V1630	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-003	10	514V2024	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2			43915-004	12	614V2418	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.38)		2			43915-005	14	714V2811	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2			43915-006	6	314V1237	20.00(1.78)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-007	8	414V1630	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-008	10	514V2024	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-009	12	614V2418	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.38)		2			43915-010	14	714V2811	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2	SELECT GOLD (SEE LEGEND)	ACTIVE	43915-011	6	314V1237	20.00(1.78)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1			43915-012	8	414V1630	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2			43915-013	10	514V2024	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2			43915-014	12	614V2418	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.38)		2			43915-015	14	714V2811	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2			43915-016	6	314V1237	20.00(1.78)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-017	8	414V1630	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2			43915-018	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2			43915-019	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2			43915-020	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2			43915-021	10	514V2024	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-022	6	314V1237	20.00(1.78)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-023	8	414V1630	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-024	12	614V2418	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.38)	1.57(1.062)	2			43915-025	14	714V2811	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2			43915-026	6	314V1237	20.00(1.78)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-027	8	414V1630	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-028	10	514V2024	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-029	12	614V2418	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.38)		2			43915-030	14	714V2811	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2	SELECT SILVER (SEE LEGEND)	ACTIVE	43915-031	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)		2			43915-032	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2			43915-033	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2			43915-034	6	314V1237	20.00(1.78)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-035	8	414V1630	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)	6.35(1.250)	2			43915-036	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)		2			43915-037	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2			43915-038	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2			43915-039	10	514V2024	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-040	12	614V2418	50.00(1.569)	3.50(1.37)	2.60(1.02)	60.90(2.38)		2			43915-041	14	714V2811	60.00(2.362)	3.50(1.37)	2.60(1.02)	70.90(2.79)		2		
MATERIAL NUMBER	CIRCUITS	DRH'A'	DRH'B'	DRH'C'	DRH'D'	DRH'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
43915-001	6	314V1237	20.00(1.78)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-002	8	414V1630	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-003	10	514V2024	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-004	12	614V2418	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-005	14	714V2811	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-006	6	314V1237	20.00(1.78)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-007	8	414V1630	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-008	10	514V2024	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-009	12	614V2418	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-010	14	714V2811	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2	SELECT GOLD (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
43915-011	6	314V1237	20.00(1.78)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-012	8	414V1630	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-013	10	514V2024	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-014	12	614V2418	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-015	14	714V2811	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-016	6	314V1237	20.00(1.78)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-017	8	414V1630	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-018	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-019	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-020	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-021	10	514V2024	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-022	6	314V1237	20.00(1.78)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-023	8	414V1630	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-024	12	614V2418	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.38)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-025	14	714V2811	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-026	6	314V1237	20.00(1.78)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-027	8	414V1630	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-028	10	514V2024	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-029	12	614V2418	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-030	14	714V2811	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2	SELECT SILVER (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
43915-031	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-032	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-033	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-034	6	314V1237	20.00(1.78)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-035	8	414V1630	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-036	10	514V2024	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-037	12	614V2418	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-038	14	714V2811	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-039	10	514V2024	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-040	12	614V2418	50.00(1.569)	3.50(1.37)	2.60(1.02)	60.90(2.38)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
43915-041	14	714V2811	60.00(2.362)	3.50(1.37)	2.60(1.02)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
NOTES: 1. MATERIALS: HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK. TERMINAL: ALLOY 151 PLATING: *TIN OVER NICKEL OR SELECT GOLD AND SELECT TIN OVER NICKEL OR SELECT SILVER AND SELECT TIN OVER NICKEL (SEE CHART) * THE PRIMARY SHIPPING CARTON WILL BE LABELED COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC. CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD. 2. PRODUCT SPEC: PS-42815-001 3. PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 4. PART MATES WITH MOLEX RECEPTACLE 43914. 5. WHEN USING OVERALL TIN PLATED TERMINALS: FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOGEL 7600) ON THE MATING SURFACES OF THE TERMINAL. 6. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN. EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY. 7. PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC-PS-45499-002. 8. REFER AS-42815-001 FOR TIN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE. LEGEND: 4 3 9 1 5 - 1 *** PLATING: 1 OR 9 - TIN PLATING 2 - SELECT GOLD AND SELECT TIN OVER NICKEL 4 - SELECT SILVER AND SELECT TIN OVER NICKEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
RECOMMENDED P.C.B. BOARD PLATED-THRU HOLE LAYOUT (1/4" CIRCUIT LAYOUT SHOWN)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
<table><tr><td rowspan="2">NEW SILVER PLATING REPAIR (0.001) ±0.001 DOWN (0.001) ±0.001 CHECK (0.001) ±0.001 APPROVED (0.001) ±0.001 DATE 2015/02/09</td><td rowspan="2">QUALITY SYMBOLS 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACE ±</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td rowspan="2">SCALE 2:1</td><td rowspan="2">DESIGN UNITS METRIC</td><td rowspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>mm</td><td>INCH</td><td>MM/IN</td><td>DATE</td></tr><tr><td colspan="2"></td><td>4 PLACES ±</td><td>0.125</td><td>0.005</td><td>DRAWN BY C0MER1</td><td>DATE 8/21/197</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>3 PLACES ±</td><td>0.254</td><td>0.010</td><td>DESIGNED BY BRO2</td><td>DATE 2014/02/13</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>2 PLACES ±</td><td>0.508</td><td>0.020</td><td>APPROVED BY KPRASAD</td><td>DATE 2015/02/09</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td>1 PLACE ±</td><td>1.27</td><td>0.050</td><td colspan="4"></td></tr><tr><td colspan="2"></td><td>0 PLACE ±</td><td>2.54</td><td>0.100</td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">SEE CHART</td><td colspan="2"></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2"></td><td></td></tr></table>																				NEW SILVER PLATING REPAIR (0.001) ±0.001 DOWN (0.001) ±0.001 CHECK (0.001) ±0.001 APPROVED (0.001) ±0.001 DATE 2015/02/09	QUALITY SYMBOLS 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACE ±	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	mm	INCH	MM/IN	DATE			4 PLACES ±	0.125	0.005	DRAWN BY C0MER1	DATE 8/21/197					3 PLACES ±	0.254	0.010	DESIGNED BY BRO2	DATE 2014/02/13					2 PLACES ±	0.508	0.020	APPROVED BY KPRASAD	DATE 2015/02/09					1 PLACE ±	1.27	0.050							0 PLACE ±	2.54	0.100							ANGULAR ±1/2°		SEE CHART							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																						
NEW SILVER PLATING REPAIR (0.001) ±0.001 DOWN (0.001) ±0.001 CHECK (0.001) ±0.001 APPROVED (0.001) ±0.001 DATE 2015/02/09	QUALITY SYMBOLS 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACE ±	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		mm	INCH	MM/IN	DATE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		4 PLACES ±	0.125	0.005	DRAWN BY C0MER1	DATE 8/21/197																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		3 PLACES ±	0.254	0.010	DESIGNED BY BRO2	DATE 2014/02/13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		2 PLACES ±	0.508	0.020	APPROVED BY KPRASAD	DATE 2015/02/09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		1 PLACE ±	1.27	0.050																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		0 PLACE ±	2.54	0.100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		ANGULAR ±1/2°		SEE CHART																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
VERTICAL HEADER DUAL ROW, 6-14 CIRCUIT MINI-FIT SR molex SHEET NO. 1 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

MATERIAL NUMBER	CIRCUITS	DMK'A	DMK'B	DMK'C	DMK'D	DMK'E	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS
439PS-1001	6	3141/112371	30.00/11871	3.50/11371	1.80/10719	30.90/11271	157/106Z1	1	OVERALL TN	PLANNED FOR OBSOLESCENCE
439PS-1002	8	4141/114301	30.00/11871	3.50/11371	1.80/10719	40.90/116101		2		
439PS-1003	10	5141/122241	40.00/115751	3.50/11371	1.80/10719	50.90/122041		2		
439PS-1004	12	6141/122419	50.00/115649	3.50/11371	1.80/10719	60.90/123581	2.36/10931	2		
439PS-1005	14	7141/122819	60.00/123621	3.50/11371	1.80/10719	70.90/123991		2		
439PS-1006	6	3141/112371	30.00/11871	5.10/12011	2.60/111021	36.90/114271		1		
439PS-1007	8	4141/114301	30.00/11871	5.10/12011	2.60/111021	46.90/116101	3.18/11251	2		
439PS-1008	10	5141/122241	40.00/115751	5.10/12011	2.60/111021	56.90/122041		2		
439PS-1009	12	6141/122419	50.00/115649	5.10/12011	2.60/111021	66.90/123581	6.35/12501	2		
439PS-1010	14	7141/122819	60.00/123621	5.10/12011	2.60/111021	76.90/123991		2		
439PS-1011	6	3141/112371	30.00/11871	5.10/12011	3.40/11341	36.90/114271	6.35/12501	1		
439PS-1012	8	4141/114301	30.00/11871	5.10/12011	3.40/11341	46.90/116101		2		
439PS-1013	10	5141/122241	40.00/115751	5.10/12011	3.40/11341	56.90/122041		2		
439PS-1014	12	6141/122419	50.00/115649	5.10/12011	3.40/11341	66.90/123581	6.35/12501	2		
439PS-1015	14	7141/122819	60.00/123621	5.10/12011	3.40/11341	76.90/123991		2		
439PS-1016	6	3141/112371	30.00/11871	8.30/13271	6.58/12591	36.90/114271	6.35/12501	1		
439PS-1017	8	4141/114301	30.00/11871	8.30/13271	6.58/12591	46.90/116101		2		
439PS-1018	10	5141/122241	40.00/115751	8.30/13271	6.58/12591	56.90/122041		2		
439PS-1019	12	6141/122419	50.00/115649	8.30/13271	6.58/12591	66.90/123581	6.35/12501	2		
439PS-1020	14	7141/122819	60.00/123621	8.30/13271	6.58/12591	76.90/123991		2		
439PS-1021	10	5141/122241	40.00/115751	3.50/11371	2.60/111021	50.90/122041	157/106Z1	2		
439PS-1022	14	7141/122819	60.00/123621	3.50/11371	1.80/10719	70.90/123991		2		

SEE SHEET 1 EC NO. IEP205-2752 DRAWN BY: 2013/12/25 CHKD: 2015/02/05 APPROVED: 2015/02/05 REV: 1	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0	mm	INCH	DRAWN BY	DATE	1:2	METRIC	VERTICAL HEADER	
	▽=0	4 PLACES ±---	±---	COMERC I	8/21/97			DUAL ROW, 6-14 CIRCUIT	
	▽=0	3 PLACES ±---	±.008	CHECKED BY	DATE			MINI-FIT SR.	
	▽=0	2 PLACES ±0.2	±---	BR02	2014/02/13			molex	
		1 PLACE ±---	±---	APPROVED BY	DATE			DOCUMENT NO.	
		0 PLACE ±---	±---	KPRASAD	2015/02/09			SD-43915-002	
		ANGULAR ±1/2°		MATERIAL NO.		SHEET NO.		2 OF 2	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1