

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0439151216](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	<table><tr><th>MATERIAL NUMBER</th><th>CIRCUITS</th><th>DRH'A'</th><th>DRH'B'</th><th>DRH'C'</th><th>DRH'D'</th><th>DRH'E'</th><th>PCB THICKNESS</th><th>QUANTITY OF POLARIZING SLOTS</th><th>TERMINAL PLATING</th><th>STATUS</th></tr><tr><td>43915-001</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-002</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-003</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>50.90(2.00)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-004</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-005</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-006</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-007</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-008</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-009</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.398)</td><td></td><td>2</td><td>SELECT GOLD (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-010</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-011</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-012</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-013</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>50.90(2.00)</td><td>3.18(1.125)</td><td>2</td><td></td><td></td></tr><tr><td>43915-014</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-015</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-016</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-017</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-018</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.00)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-019</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-020</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-021</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-022</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-023</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-024</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>50.90(2.00)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-025</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-026</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-027</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-028</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-029</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-030</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.398)</td><td></td><td>2</td><td>SELECT SILVER (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-031</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-032</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-033</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-034</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>50.90(2.00)</td><td>3.18(1.125)</td><td>2</td><td></td><td></td></tr><tr><td>43915-035</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-036</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-037</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-038</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-039</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.00)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-040</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-041</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.79)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-042</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.00)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr></table>																			MATERIAL NUMBER	CIRCUITS	DRH'A'	DRH'B'	DRH'C'	DRH'D'	DRH'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS	43915-001	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-002	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-003	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2			43915-004	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2			43915-005	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2			43915-006	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-007	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-008	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-009	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT GOLD (SEE LEGEND)	ACTIVE	43915-010	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2			43915-011	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1			43915-012	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2			43915-013	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2			43915-014	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2			43915-015	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2			43915-016	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-017	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2			43915-018	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2			43915-019	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2			43915-020	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2			43915-021	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-022	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-023	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-024	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2			43915-025	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2			43915-026	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2			43915-027	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-028	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-029	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2			43915-030	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT SILVER (SEE LEGEND)	ACTIVE	43915-031	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2			43915-032	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1			43915-033	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2			43915-034	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2			43915-035	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2			43915-036	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2			43915-037	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-038	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2			43915-039	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2			43915-040	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2			43915-041	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2			43915-042	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2		
MATERIAL NUMBER	CIRCUITS	DRH'A'	DRH'B'	DRH'C'	DRH'D'	DRH'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
43915-001	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-002	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-003	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-004	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-005	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-006	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-007	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-008	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-009	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT GOLD (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
43915-010	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-011	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-012	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-013	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-014	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-015	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-016	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-017	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-018	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-019	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-020	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-021	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-022	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-023	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-024	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.00)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-025	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-026	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-027	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-028	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-029	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-030	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT SILVER (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
43915-031	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-032	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-033	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-034	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.00)	3.18(1.125)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-035	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-036	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-037	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-038	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-039	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.00)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-040	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-041	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.79)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
43915-042	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.00)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	NOTES: 1. MATERIALS: HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK. TERMINAL: ALLOY #51 PLATING: *TN OVER NICKEL, OR SELECT GOLD AND SELECT TN OVER NICKEL OR SELECT SILVER AND SELECT TN OVER NICKEL (SEE CHART) * THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX I OF DIRECTIVE 2002/95/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TN-LEAD. 2. PRODUCT SPEC: PS-4285-001 3. PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 4. PART MATES WITH MOLEX RECEPTACLE 43914. 5. WHEN USING OVERALL TN PLATED TERMINALS: FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOVEL 7600) ON THE MATING SURFACES OF THE TERMINAL. 6. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN. EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY. 7. PARTS CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPEC: PS-45499-002. 8. REFER AS-4285-001 FOR TN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE. LEGEND: 4 3 9 1 5 - 1 g - - - PLATING: 1 OR 9 = *TN PLATING 2 = SELECT GOLD AND SELECT TN OVER NICKEL 4 = SELECT SILVER AND SELECT TN OVER NICKEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											


NOTES:

- MATERIALS:
HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK.

TERMINAL: ALLOY 151
PLATING: *TIN OVER NICKEL
OR SELECT GOLD AND SELECT TIN OVER NICKEL
OR SELECT SILVER AND SELECT TIN OVER NICKEL
(SEE CHART)
* THE PRIMARY SHIPPING CARTON WILL BE LABELED
COMPLANT TO RoHS DIRECTIVE 2002/95/EC
AND ELV ANNEX II OF DIRECTIVE 2000/53/EC.
CARTONS WITHOUT THIS LABEL MAY CONTAIN
PRODUCT WITH TIN-LEAD.
- PRODUCT SPEC: PS-42815-001
- PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- PART MATES WITH MOLEX RECEPTACLE 43914.
- WHEN USING OVERALL TIN PLATED TERMINALS:
FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY
RECOMMENDS THE USE OF NYE LUBRICANT (NYOGEL 7600) ON THE MATING
SURFACES OF THE TERMINAL.
- POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END
OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY.
- PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC-PS-45499-002.
- REFER AS-42815-001 FOR TIN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE.

LEGEND:
4 3 9 1 5 - 1 ***

PLATING:
1 OR 9 - TIN PLATING
2 - SELECT GOLD AND SELECT TIN OVER NICKEL
4 - SELECT SILVER AND SELECT TIN OVER NICKEL



NEW 3D MODELING BY: JAC (JACOB) DATE: 08/21/2019 DRAWN BY: JACOB CHECKED BY: JACOB APPROVED BY: JACOB	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
	▽=0	1 PLACES	mm	INCH	DRAWN BY COWER1	DATE 8/21/197	VERTICAL HEADER	
	▽=0	3 PLACES	±0.008	±0.003	CHECKED BY BRO2	DATE 02/12/13	DUAL ROW, 6-14 CIRCUIT	
	▽=0	2 PLACES	±0.02	±0.008	APPROVED BY	DATE	MINI-FIT SR.	
	▽=0	1 PLACE	±0.03	±0.012	APPROVED BY KXASAD	DATE 02/15/07		
	▽=0	0 PLACE	±0.04	±0.015	MATERIAL NO.	DOCUMENT NO.	SD-43915-002	
	ANGULAR ±1/2°		SEE CHART				SHEET NO. 1 OF 2	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
	SIZE				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	END							

ib_frame_D_P_AM_T
Rev. G 2012/01/11