

Excellent Integrated System Limited

Stocking Distributor




Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0945130101](#)


For any questions, you can email us directly:

sales@integrated-circuit.com


Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



SECTION A - A



SECTION B - B



CODICE P/N	FINITURA PLATING	MATERIALE MATERIAL	SEZ. RAME WIRE RANGE	Ø ISOLANTE INS. RANGE	DIMENSIONI / DIMENSION								CONFEZIONAMENTO PACKING QUANTITY
94513 - 0100	greggio/ <i>plain</i>	ottone brass	0.5 - 1.0	2.0 - 3.3	3.0	3.0	4.5	4.5	4.2	2.4	8.3	21.000 pezzi/ <i>pcs.</i>	
94513 - 0101	stagnato/ <i>tin</i>		1.0 - 2.5	2.7 - 4.3	3.8	4.0	5.5	5.5	4.2	2.5	8.5	18.000 pezzi/ <i>pcs.</i>	
94513 - 0201	stagnato/ <i>tin</i>												
94513 - 0130	greggio/ <i>plain</i>	alpaca <i>german silver</i>	0.5 - 1.0	2.0 - 3.3	3.0	3.0	4.5	4.5	4.2	2.4	8.3	21.000 pezzi/ <i>pcs.</i>	
94513 - 0230			1.0 - 2.5	2.7 - 4.3	3.8	4.0	5.5	5.5	4.2	2.5	8.5	18.000 pezzi/ <i>pcs.</i>	
94513 - 0111	nichelato <i>nickel</i>	acciaio <i>steel</i>	0.5 - 1.0	2.0 - 3.3	3.0	3.0	4.5	4.5	4.2	2.4	8.3	21.000 pezzi/ <i>pcs.</i>	
94513 - 0211			1.0 - 2.5	2.7 - 4.3	3.8	4.0	5.5	5.5	4.2	2.5	8.5	18.000 pezzi/ <i>pcs.</i>	

-SPECIFICA DI RIFERIMENTO : PS 94513

IMPIEGATO CON HOUSING 94504-0100

-REFERENCE SPECIFICATION : PS 94513

TO BE USED WITH HOUSING P/N 94504-0100

-CONFEZIONE STANDARD : 3 BOBINE x SCATOLA (ved. tab.)

-STANDARD PACKING QUANTITY : 3 REELS x BOX (see chart)

Std.Descr.: LIF FEM TERM [material] [plating] [wire range]

e.g.: LIF FEM TERM GERMAN SILVER UNPL 1.0-2.5

ENTER DESCRIPTION EC NO. Z2005-0082 DRAWN BY: 2004/12/02 CHKD BY: 2004/12/02 APPR: GJUN 2004/12/09			QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 FIRST ANGLE PROJECTION
DESCRIPTION				mm	INCH	DRAWN BY LSANTESS	DATE 1991/11/18	TITLE QIK KONNECT RECEPTACLE FOR 6.3 X 0.8 TABS -LIF-		
				4 PLACES ± --- ± ---		CHECKED BY	DATE			
				3 PLACES ± --- ± ---				MOLEX MOLEX INCORPORATED		
				2 PLACES ± 0.1 ± ---		APPROVED BY	DATE			
				1 PLACE ± 0.2 ± ---		MPREVIAT	1991/11/18	DOCUMENT NO. SD-94513-001		
				ANGULAR ± 3 °		MATERIAL NO.				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SEE CHART				
REVIEW					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

