

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0387206212](#)


For any questions, you can email us directly:

sales@integrated-circuit.com



10	9		8		7		6		5		4		3	
NUMBER OF CIRCUITS "XX"	MATERIAL NO. (OPT 12A)	MATERIAL NO. (OPT 11A)	MATERIAL NO. (OPT 10A)	MATERIAL NO. (OPT -59)	MATERIAL NO. (OPT -58)	MATERIAL NO. (OPT -56)	MATERIAL NO. (OPT -50)	MATERIAL NO. (OPT -49,-50)	MATERIAL NO. (OPT -49)	MATERIAL NO. (OPT -47,-50)	MATERIAL NO. (STD)			
01						38729-0659					38720-6201			
02			38729-1039		38729-0750	38729-0791	38720-7402	38729-1381	38720-6802		38720-6202			
03	38729-0872	38729-0025	38729-0014			38729-0117	38720-7403		38720-6803	38720-8603	38720-6203			
04			38729-0940	38729-0945		38729-0839	38720-7404	38729-1159	38720-6804		38720-6204			
05	38729-0256		38729-0346			38729-1253	38720-7405	38729-1382	38720-6805		38720-6205			
06				38729-0400	38729-0386	38729-0980	38720-7406	38729-1383	38720-6806		38720-6206			
07			38729-0423	38729-0407	38729-0435	38729-0440	38720-7407		38720-6807		38720-6207			
08	38729-0497				38729-0508	38729-0532	38720-7408		38720-6808		38720-6208			
09			38729-0548		38729-0560		38720-7409		38720-6809		38720-6209			
10			38729-1011	38729-0598	38729-0598	38729-1663	38720-7410		38720-6810		38720-6210			
11						38729-1252	38720-7411				38720-6211			
12			38729-0720			38729-0735	38720-7412		38720-6812		38720-6212			
13					38729-0809		38720-7413				38720-6213			
14					38729-0004		38720-7414		38720-6814		38720-6214			
15											38720-6215			
16											38720-6216			
17											38720-6217			
18											38720-6218			
19											38720-6219			
20											38720-6220			
21											38720-6221			
22											38720-6222			
23											38720-6223			
24											38720-6224			
25											38720-6225			
26											38720-6226			

NUMBER OF CIRCUITS "XX"	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"
01	30.7	1.21	-	-
02	40.1	1.58	9.53	.375
03	49.7	1.96	19.05	.750
04	59.2	2.33	28.58	1.125
05	68.7	2.71	38.10	1.500
06	78.2	3.08	47.63	1.875
07	87.8	3.46	57.15	2.250
08	97.3	3.83	66.68	2.625
09	106.8	4.21	76.20	3.000
10	116.3	4.58	85.73	3.375
11	125.9	4.96	95.25	3.750
12	135.4	5.33	104.78	4.125
13	144.9	5.71	114.30	4.500
14	154.4	6.08	123.83	4.875
15	164.0	6.46	133.35	5.250
16	173.5	6.83	142.88	5.625
17	183.0	7.21	152.40	6.000
18	192.5	7.58	161.93	6.375
19	202.1	7.96	171.45	6.750
20	211.6	8.33	180.98	7.125
21	221.1	8.71	190.50	7.500
22	230.6	9.08	200.03	7.875
23	240.2	9.46	209.55	8.250
24	249.7	9.83	219.08	8.625
25	259.2	10.21	228.60	9.000
26	268.7	10.58	238.13	9.375



PTH PATTERN

ADD 38729/663 (10P)		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
EC NO: PG2015-0783						MM/IN		2:1	INCH	
DRAWN BY DRWNGSTONE				mm	INCH	DRAWN BY	DATE	TITLE		
CHKD BY CHXGB				4 PLACES ± ---	± ---	W. HOWARD	2003/10/16	9.53MM [.375"] SR BTS, PC ASSY		
APPR-BRUPDMAN 2014/11/02				3 PLACES ± ---	± .005	CHECKED BY	DATE			
D			2 PLACES ± 0.13	± .01	R. KEMP	2003/10/16				
			1 PLACE ± 0.3	± .01	APPROVED BY	DATE				
			ANGULAR ± 2 °		P. WALTZ	2003/10/16		MOLEX INCORPORATED		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.	SHEET NO.		
					SEE CHART		SD-38720-001			
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		2 OF 2