

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[SCS](#)


[35VACUSEAL20](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Made in the
United States of America



The SCS Vacuum Sealer removes moisture laden air from the interior of moisture barrier bags, and heat seals the bags closed. This is part of the dry packaging process that protects surface mount devices from moisture. For IPC/JEDECJ-STD-033 dry packaging best practice is to include a [moisture barrier bag](#), [desiccant](#), and a [humidity indicator card \(HIC\)](#).

A fixed position nozzle evacuates the bag. Timers for vacuum, sealing, and cooling are activated by a single foot pedal, and ensure that the bag is evacuated and sealed. Gas Purge option and Support Tray are available.

Specifications	Typical Value
Seal Length	20", 30"
Seal Width	1/4"
Vacuum Pressure	< 26 Hg
Max Suction	1.4 CFM
Air Consumption	2.4 CFM
Length	Jaw + 5.5"
Width	9.5"
Height	8.5"
Electrical Power	120 VAC
Compressed Air	80 PSI

Item	Description
35VACUSEAL20	20"
35VACUSEAL30	30"

35VACUSEAL VACUUM SEALER



926 JR Industrial Drive, Sanford, NC 27332
 WEB SITE: StaticControl.com
 PHONE (919) 718-0000

**DRAWING
NUMBER**
35VACUSEAL

DATE
May
2016