

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0876071011](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

10	9	8	7	6	5	4	3	2	1
PART NUMBER	PART STATUS	PACKAGING							
87607-1011	TOOLED	TRAY							



NOTES:

- 1 MATERIALS : HOUSING - LCP, GLASS FILLED, UL94V-0, COLOR: BLACK
- POWER PINS - COPPER ALLOY
- SIGNAL PINS - COPPER ALLOY
- 2 FINISHES: POWER AD SIGNAL PINS
- SELECTIVE GOLD IN THE CONTACT AREA
- THICKNESS = 0.76 MICROMETER / 30 MICROINCH MINIMUM
- SELECTIVE TIN ALLOY IN THE PC TAIL AREA
- THICKNESS = 2.54 MICROMETER / 100 MICROINCH MINIMUM
- 1.27um MINIMUM NICKEL OVERALL UNDERPLATE.
- 3 PRODUCT SPECIFICATIONS : PS-87606-002
- 4 SEE SHEET 2 FOR RECOMMENDED PCB LAYOUT AND THICKNESS
- COMPONENT STAY AWAY ZONE FROM CONNECTOR

REVISED EC NO: S2007-0873 DRAWN BY: DRWNSKIANC CHKD: GEMARLY APPR: HLONG 2007/04/11 2007/04/11 2007/04/12	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			mm	INCH	MM/IN	NTS	METRIC	
		4 PLACES	± .13	± .005	DATE	DATE		
		3 PLACES	± .13	± .010	DATE	DATE		
ANGULAR ± 3 °		DRAWN BY: KMG0H		DATE: 2003/12/04		TITLE: DPS,PWR CONNECTOR RECPT. P-S-P CONFIGURATION R/A, T/H, SCREW MOUNT		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY: PTL IM		DATE: 2004/03/09		MOLEX INCORPORATED		
		APPROVED BY: SKTOH		DATE: 2004/03/17		DOCUMENT NO. SD-87607-017		
		MATERIAL NO.		SEE TABLE		SHEET NO. 2 OF 2		
		SIZE: A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

10	9	8	7	6	5	4	3	2	1
----	---	---	---	---	---	---	---	---	---