

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 1200661421

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 1200661421 - CORD 5POS FEMALE,RA/MALE,RA 1M Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

one company > a world of innovation

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION Part Number: 1200661421 Status: Active Brad® Micro-Change® (M12) Connectors **Overview: Description:** Micro-Change® (M12) Double-Ended Cordset, 5 Poles, Female (90°) to Male (90°), 18 AWG, TPE Cable, 1.0m (3.28') Length **Documents:** Drawing (PDF) RoHS Certificate of Compliance (PDF) Agency Certification Series image - Reference only LR6837 CSA UL E152210 EU ELV General Not Reviewed Industrial Cordsets **Product Family** Series 120066 EU RoHS China RoHS Connector End A Micro-Change® (M12) **Not Reviewed** Connector End B Micro-Change® (M12) **REACH SVHC** IP Rating IP67 Not Reviewed Brad® Micro-Change® (M12) Connectors Overview Halogen-Free Product Name Micro-Change® (M12) Status Protocol N/A Not Reviewed Region America Need more information on product Type UPC Double Ended environmental compliance? 78678848810 Email productcompliance@molex.com Physical Please visit the Contact Us section for any Cable Diameter 6.86mm (.270") non-product compliance questions. 1.0m (3.28') Cable Length China ROHS Not Reviewed Color - Cable Jacket Yellow ELV Not Reviewed Coupling Style Threaded Gender Female-Male Keyway Single LED Indicator No Search Parts in this Series TPE Material - Cable Jacket 120066 Series Material - Connector Body TPE Material - Contact Copper Alloy Material - Coupling Nut Nickel-plated Brass Material - O-Ring Fluoro-elastomer Material - Plating Mating Gold over Nickel Orientation 90° to 90° Poles 5 Temperature Range - Operating -20°C to +105°C Wire Size AWG 18 PLTC-ER Wire/Cable Type Electrical Current - Maximum per Contact 4.0A Voltage - Maximum 250V AC/DC Material Info Old Part Number 885033K03M010 **Reference - Drawing Numbers** Sales Drawing SD-120066-023

This document was generated on 07/06/2016



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 1200661421 - CORD 5POS FEMALE,RA/MALE,RA 1M Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 07/06/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION