

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[1300950150](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

This document was generated on 07/06/2016

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

Part Number:

**1300950150**

Status:

**Active**

Overview:

Pulling Grips

Description:

Light Duty Wire Mesh Pulling Grip, Single Weave, Flexible Rope Eye, Short Mesh Length 0.431m (1.41'), Approximate Break Strength 2630.84kg (5800 lbs)

**Documents:**

Drawing (PDF)

Product Literature (PDF)

RoHS Certificate of Compliance (PDF)



Series image - Reference only

**Agency Certification**

CSA

LR32159

**General**

Product Family

Cable Grips

Series

130095

Eye Type

Flexible

O-Ring

N/A

Overview

Pulling Grips

Product Literature Order No

987650-8066

Product Name

Light Duty

Type

Pulling Grip

UPC

78678835905

Woodhead

Yes

**Physical**

Approximate Break Strength

2630.84kg (5800 lbs)

Bale Length

N/A

Body Style

Straight

Cable Diameter

31.75-37.85mm (1.250-1.490")

Color - Grommet

N/A

Gender

N/A

Material - Body

N/A

Material - Grip

Galvanized Steel

Mesh Length

0.431m (1.41')

Number of Holes

N/A

Thread Size

N/A

**Material Info**

Old Part Number

35905

**Reference - Drawing Numbers**

Sales Drawing

SD-130095-101

**EU ELV**

**Not Reviewed**

**EU RoHS**

**Not Reviewed**

**China RoHS**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Reviewed**

Need more information on product environmental compliance?

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**China ROHS**

**Not Reviewed**

**ELV**

**Not Reviewed**

**Search Parts in this Series**

130095 Series

This document was generated on 07/06/2016

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**