

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 1301040031

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



**Distributor of Molex Connector Corporation: Excellent Integrated System Limited** Datasheet of 1301040031 - 1090-HZ W/25 #16/3C & 1447 Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

## one company > a world of innovation

This document was generated on 07/28/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION				
Part Number: Status: Overview: Description:	1301040031 Active Specialty Lighting Haztex® Hazardous Locat Type, Cord Length 7.62m	ion 26W Fluorescent Hand Lamp with 16/3 SOOW Cord (25.0')		
Documents: Product Literature (PDF)				
Agency Certification CSA UL	1	LR39801 E30252		ge - Reference only
General Product Family Series Comments		Portable Lighting <u>130104</u> Class I, Division 1, Groups C and D (flammable gases and vapors); Class II, Division I, Groups F and G	EU ELV Not Reviewed EU RoHS Not Reviewed REACH SVHC	<u>China RoHS</u>
NEMA Configuration Outlet Overview Product Literature Or Product Name	der No	(ignitable dust); Class I, Zone 1, Group IIB (UL) NEMA 5-15 None <u>Specialty Lighting</u> 987650-8052 Haztex®	Not Reviewed Halogen-Free Status Not Reviewed Need more inform	
Type UPC Woodhead		Haztex® Hand Lamps, Specialty Light 78678800720 Yes	environmental compliance? Email productcompliance@molex.com Please visit the <u>Contact Us</u> section for any non-product compliance questions.	
Physical Cord Length - Primar Cord Length - Second Depth Duty		7.62m (25.0') N/A 100.08mm (3.940") Hazardous	China ROHS ELV	Not Reviewed Not Reviewed
Guard Included Guard Type Height		N/A 482.60mm (19.000")	Search Parts in 130104 Series	this Series
Length Material - Globe Material - Guard Mounting Style Packaging Type Socket Construction		N/A Tempered Soda-Lime Glass Cast Aluminum Hand Held Carton N/A		
Electrical Bulb Type Cord Type - Primary Lamp Type Lamp Wattage - Maxi Lumens	imum	Fluorescent 16/3 SOOW PL-C 26/41/4P 26W 1800		
On/Off Switch Voltage (Fixture) - Ma Material Info Old Part Number	aximum	No 120VAC 60 HZ 1090-HZA163		

This document was generated on 07/28/2016



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION