

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[22-05-7135](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

10 9 8 7 6 5 4 3 2 1

ENG NO. SD-5268-NA


EDP NO. 22-05-7135

D




C

B

A



NOTE:
MATES WITH : 5264 SERIES.




49.9	48.5	45	22-05-7195	5268-19A	19
47.4	46	42.5	-7185	-18A	18
44.9	43.5	40	-7175	-17A	17
42.4	41	37.5	-7165	-16A	16
39.9	38.5	35	-7155	-15A	15
37.4	36	32.5	-7145	-14A	14
34.9	33.5	30	-7135	-13A	13
32.4	31	27.5	-7125	-12A	12
29.9	28.5	25	-7115	-11A	11
27.4	26	22.5	-7105	-10A	10
24.9	23.5	20	-7095	-09A	9
22.4	21	17.5	-7085	-08A	8
19.9	18.5	15	-7075	-07A	7
17.4	16	12.5	-7065	-06A	6
14.9	13.5	10	-7055	-05A	5
12.4	11	7.5	-7045	-04A	4
9.9	8.5	5	-7035	-03A	3
7.4	6	2.5	22-05-7025	5268-02A	2
C	B	A	EDP NO.	ENG.NO.	CKT.

PART NUMBER VOIDED EC NO. J2016-1314 DRAWINGS CHKO: 2016/06/29 APPR: Y010 2016/07/08	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		0.25 UNDER	±0.03	DRAWN BY	DATE	TITLE 2.5 LOW PROFILE WAFER ASSY 90° BEND molex DOCUMENT NO. SD-5268-NA			
		0.25 OVER	±0.05	K. TOJO	1991/11/05				
		0.5 UNDER	±0.1	CHECKED BY	DATE				
		0.5 OVER	±0.3	H. HIRAMOTO	1992/08/31				
		1.0 UNDER	±0.25	APPROVED BY	DATE	SHEET NO. 1 OF 1			
		1.0 OVER	±0.2	M. ENAMOTO	1992/08/31				
		30 UNDER		MATERIAL NO.					
		30 OVER		SEE CHART					
		ANGULAR ±3 °		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
		DRAFT WHERE APPLICABLE							
		MUST REMAIN WITHIN DIMENSIONS							



9 8 7 6 5 4 3 2 1

—MM DIMENSIONS IN METRIC DO NOT SCALE DRAWING




NOTE:

1. 嵌合相手：5264シリーズ



39.9	38.5	35	22-05 - 7155	5268-15A	15
37.4	36	32.5	↗ - 7145	↗ -14A	14
34.9	33.5	30	- 7135	-13A	13
32.4	31	27.5	- 7125	-12A	12
29.9	28.5	25	- 7115	-11A	11
27.4	26	22.5	- 7105	-10A	10
24.9	23.5	20	-7095	-09A	9
22.4	21	17.5	-7085	-08A	8
19.9	18.5	15	-7075	-07A	7
17.4	16	12.5	-7065	-06A	6
14.9	13.5	10	-7055	-05A	5
12.4	11	7.5	↘ -7045	↘ -04A	4
9.9	8.5	5	↘ -7035	↘ -03A	3
7.4	6	2.5	22-05 - 7025	5268-02A	2
C	B	A	EDP NO.	ENG.NO.	種數



角度	ANGLE
30 以上	OVER
10 以上	OVER 30 未滿
10 未滿	UNDER
一般公差	
GENERAL TOLERANCES	

5	C	再作図及び変更	(JIO590)M-1	H ₁ H ₂	3/17/26		
記号		変更内容	DR		日付		
CTR		REVISION RECORD		CHK.	DATE		
REVISE ONLY ON CAD SYSTEM							

材料 MATERIAL	 MOLEX・JAPAN CO.,LTD. 日本モレックス株式会社	
仕上げ FINISH	EDP. NO.	22-05-7**5
適用電線範囲 WIRE RANGE	ENG. NO.	
被覆外径 INS. RANGE	SD-5268-NA	
DRAWN BY 〃 〃 APP'D BY 〃 M.NOMOTO	CHK'D BY 〃 H.H. 尺度 SCALE 5-1	TITLE 名称 2.5 LOW PROFILE WAFER ASS'Y 90° BEND

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス（株）の所有する情報を含むもので当社の許可なく複製を禁止する。

MXJ-8