

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[22-43-6120](#)

For any questions, you can email us directly:




sales@integrated-circuit.com



SQUARE CORNER IS CKT I IDENTIFIER



OPTIONAL VOIDED CIRCUIT
SEE CHART FOR LOCATION
SEE NOTE 5



CIRCUIT I


NOTES:

- 1) MATERIAL: HEADER : GLASS-FILLED POLYESTER, UL94V-0, COLOR: WHITE
PIN : BRASS.
- 2) FINISH:
(154) ---.000100/(0.00254) MIN. TIN OVER
.000050/(0.00127) MIN. NICKEL UNDERPLATE.
- 3) PRODUCT SPECS: PS-42249-0001.
- 4) PACKAGING SPECIFICATION: PK-42249-0001.
- 5) ANY VOID COMBINATION LEAVING PINS IN ONE ROW ONLY IS NOT AN AVAILABLE OPTION. THE RESULTS WOULD BE MINIMAL BOARD RETENTION.
- 6) THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

A-42249-N*- *- *

NO. OF CKTS.
COLOR
A = WHITE

PART
BLANK = STANDARD
SP = SPECIAL
VOID LOCATION



PCB HOLE LAYOUT: COMPONENT SIDE
RECOMMENDED PCB THICKNESS: .062 (1.57)

REMOVE COLOR OPT. EC NO: UCP2014-2718 DRW/KTP/PR CHKD: BELL APPR: SMITH S3	2014/01/06 2014/01/06 2014/01/06 2014/01/06 2014/01/06 2014/01/06	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
					IN/MM		4:1	METRIC	⊙ □		
	▽=0		4 PLACES ±	mm	INCH	DRAWN BY	DATE	TITLE			
	▽=0		3 PLACES ±	---	±	RE	12/17/88	2.5 MM HEADER ASSEMBLY (STAGGERED PINS)			
	▽=0		2 PLACES ±	0.10	±	CHECKED BY	DATE				
			2 PLACES ±	0.25	±	WRL	12/17/88				
			1 PLACE ±	0.38	±	APPROVED BY	DATE				
			0 PLACE ±	---	±	LENZ	12/17/88				
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SDA-42249-*		SHEET NO. 1 OF *		


SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

molex

SDA-42249-*

SHEET NO. 1 OF *



TEMPLATE FILENAME: PRODUCT_SPEC(SIZE A)(V 1).DOC