

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[51022-1400](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F


E

D

C

B

A




回路番号
CIRCUIT NO.

± 0.05 (公差非累積)
(NON-ACCUMULATIVE)
1.25
(ピッチ)
(PITCH)
 $\phi 0.5$
 ± 0.05
基板取付穴推奨寸法 (t=0.8)
RECOMMENDED P.C. BOARD HOLE DIM. (t=0.8)

適合ターミナル
APPLICABLE TERMINAL

注記
NOTE

適合ターミナル : 50061-8*00
50080-8*00
△ APPLICABLE TERMINAL : 50061-8*00
50080-8*00



17.5	19.3	51022-1500	15
16.25	18.05	-1400	14
15	16.8	-1300	13
13.75	15.55	-1200	12
12.5	14.3	-1100	11
11.25	13.05	-1000	10
10	11.8	-0900	9
8.75	10.55	-0800	8
7.5	9.3	-0700	7
6.25	8.05	-0600	6
5	6.8	-0500	5
3.75	5.55	-0400	4
2.5	4.3	-0300	3
1.25	3.05	51022-0200	2
B	A	ENG. NO.	CKT. NO.

材料
MATERIAL
ポリエステル, UL94V-0
POLYESTER, UL94V-0
仕上げ
FINISH
適用電線範囲
WIRE RANGE
被覆外径
INS. RANGE

REVISED
EC NO: J2006-2443
DRAWN: YAOYAGI
CHKD: TANAKA
APPR: NIKITA
2006/04/05
2006/04/06
2006/04/12

GENERAL TOLERANCES
(UNLESS SPECIFIED)
10 UNDER ± 0.2
10 OVER 30 UNDER ± 0.25
30 OVER ± 0.3
ANGULAR $\pm 3^\circ$
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY
H. IJIMA
DATE
1996/05/29
CHECKED BY
M. FUKUSHIMA
DATE
1996/05/29
APPROVED BY
M. ENOMOTO
DATE
1996/05/29
MATERIAL NO.
SEE CHART

SCALE
10:1
DESIGN UNITS
METRIC
TITLE
1.25 BOARD IN CONN HSG
MOLEX INCORPORATED
DOCUMENT NO.
SD-51022-001
SHEET NO.
1 OF 1
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION