

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[52435-2791](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

tb_frame_A3_J_ME_S
Rev G 2012/01/25




20.6	18.6	14.65	13.5	52435-2827	28
20.1	18.1	14.15	13.0	-2727	27
18.6	16.6	12.65	11.5	-2427	24
18.1	16.1	12.15	11.0	-2327	23
17.6	15.6	11.65	10.5	-2227	22
16.6	14.6	10.65	9.5	-2027	20
16.1	14.1	10.15	9.0	-1927	19
15.6	13.6	9.65	8.5	-1827	18
15.1	13.1	9.15	8.0	-1727	17
14.6	12.6	8.65	7.5	-1627	16
14.1	12.1	8.15	7.0	-1527	15
13.6	11.6	7.65	6.5	-1427	14
13.1	11.1	7.15	6.0	-1327	13
12.1	10.1	6.15	5.0	-1127	11
11.6	9.6	5.65	4.5	-1027	10
11.1	9.1	5.15	4.0	-0927	9
10.6	8.6	4.65	3.5	-0827	8
10.1	8.1	4.15	3.0	-0727	7
9.6	7.6	3.65	2.5	52435-0627	6

MODEL NO.		52435-27	D	C	B	(A)	MATERIAL NO.	極致
GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
		MM ONLY		---	METRIC			
10 UNDER		± 0.2		DRAWN BY		DATE		
10 OVER		± 0.25		CHECKED BY		DATE		
30 OVER		± 0.3		APPROVED BY		DATE		
ANGULAR		± 3 °		MATERIAL NO.		DOCUMENT NO.		
DRAFT WHERE APPLICABLE		MUST REMAIN		SEE CHART		SD-52435-018		
WITHIN DIMENSIONS		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
REVISED		EC NO. J2015-0014		DRAWN BY		DATE		
		CHKD: YKOBAYASHI 2014/07/08		CHECKED BY		DATE		
		APPR: INOUE 2014/07/17		APPROVED BY		DATE		




注記 NOTES

- 製品番号 52435-***27の梱包状態はアクチュエータがロックした状態とする。
詳細寸法については図面SD-52435-018を参照下さい。
IN THE PACKAGE, ACTUATOR OF PART NO.52435-***27 SHOULD BE LOCKED
RE DETAILED DIMENSIONS, SEE SD-52435-018
- 梱包数量: 1000個/リール
NUMBER OF CONNECTORS: 1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



- トップテープの剥離強度: (剥離方向は下図参照)
0.1N~0.7N (10.2gf~71.4gf) 尚、本規格値は、出荷時に適用。
(但し、輸送時に剥離が発生しない事。)

PEELING OFF FORCE OF TOP TAPE
0.1N~0.7N (10.2gf~71.4gf) (PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT
PEEL OFF SHOULD NOT BE ALLOWED,
DURING TRANSPORTATION





DETAIL "E"

5. 材料 (MATERIAL)

キャリアテープ (CARRIER TAPE): ポリプロピレン (POLYPROPYLENE)
トップテープ (TOPTAPE): PET, PE, PEF
リール (REEL): ポリスチレン (PS) <リサイクル材を含む>
POLYSTYREN (PS) <RECYCLE MATERIAL CONTAINED>

REVISED	EC NO. J2016-0844	DRAWN BY: JUN002 2016/02/09 CHKD: TAKAHASHI 2016/02/09 APPR: IKUSU HARAOI 2016/02/19	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY			SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION				
				0.25 UNDER	UNDER	±0.03	DRAWN BY TAKAHASHI 2013/08/01	DATE 2013/08/01	TITLE EMBOSSED TAPE PACKAGE FOR 52435-**27 SHEET 1 OF 3							
				0.25 OVER	0.5 UNDER	±0.05										
				0.5 OVER	1.0 UNDER	±0.1										
				1.0 OVER	10 UNDER	±---										
				10 OVER	30 UNDER	±---										
				30 OVER		±---	APPROVED BY YNOGAWA 2013/09/09	DATE 2013/09/09	DOCUMENT NO. SD-52435-024	SHEET NO. 1 OF 3						
				ANGULAR	±---	*										
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE SHEET 2-3									
				REV				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							





44	45.5	22.9	16.3	21.9	52435-3091	30
キャリアテープ幅 CARRIER TAPE WIDTH	D	(C)	(B)	(A)	ENG. NO.	極数 CIRCUIT
DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC		◎ 第三角 PROJECTION	
DRAWN BY TMORISHITA		DATE 2013/08/01		TITLE EMBOSSED TAPE PACKAGE FOR 52435-**27 SHEET 3 OF 3		
CHECKED BY XTAKAHASHI		DATE 2013/08/01		molex		
APPROVED BY YNOGAWA		DATE 2013/09/09				
MATERIAL NO. SEE CHART		DOCUMENT NO. SD-52435-024				
SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					