

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[52559-4092](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


注記 NOTES

- 製品番号 52559-***17 の梱包状態はアクチュエータがロックした状態とする。
詳細寸法については図面 SD-52559-044 を参照下さい。
IN THE PACKAGE, ACTUATOR OF PART NO.52559-***17 SHOULD BE LOCKED
RE DETAILED DIMENSIONS, SEE SD-52559-044
- 梱包数量: 1000個/リール
NUMBER OF CONNECTORS: 1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH




- トップテープの剥離強度: (剥離方向は下図参照)
0.1N~0.7N (10.2gf~71.4gf) 尚、本規格値は、出荷時に適用。

(但し、輸送時に剥離が発生しない事。)
PEELING OFF FORCE OF TOP TAPE
0.1N~0.7N (10.2gf~71.4gf) (PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT
PEEL OFF SHOULD NOT BE ALLOWED,
DURING TRANSPORTATION



引き出し方向
PULL OUT
DIRECTION



DETAIL "F"



5. 材料

キャリアテープ: ポリプロピレン (PP)
トップテープ: PET, PE, PEF
リール: ポリスチレン (PS) <リサイクル材を含む>

MATERIAL CARRIER TAPE: POLYPROPYLENE
TOP TAPE: PET, PE, PEF
REEL: POLYSTYRENE (PS)
<RECYCLE MATERIAL CONTAINED>

REVISED EC NO: 12016-0380 DRAWN: SANJIMA 2015/10/15 CHECKED: TAKAHASHI 2015/10/16 APPR: YUIGAWA 2015/11/09	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
		0.25 UNDER	UNDER	±0.03	DRAWN BY	DATE	TITLE 0.5 FPC CONN ASSY ZIF SMT ST EMBSTP PKG			
		0.25 OVER	0.5 UNDER	±0.05	M. SHIMIZU	2000/12/20				
		0.5 OVER	1.0 UNDER	±0.1	CHECKED BY	DATE				
		1.0 OVER	10 UNDER	±0.2	S. KUNISHI	2000/12/20				
		10 OVER	30 UNDER	±0.25	APPROVED BY	DATE				
		30 OVER		±0.3	M. FUKUSHIMA	2000/12/20				
		ANGULAR ±3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
					SEE SHEET 2,3		SD-52559-054		1 OF 3	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

10 9 8 7 6 5 4 3 2 1





24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

24	25.5	5.4	8.3	52559-0692	6
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	種数 CIRCUIT
MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		

REVISED EC NO. J2016-0380 DRAWN: SANIMA 2015/10/15 CHKD: TAKAHASHI 2015/10/16 APPR: INOUE 2015/11/09	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DRAWN BY M. SHIMIZU CHECKED BY S. KUNISHI APPROVED BY M. FUKUSHIMA MATERIAL NO. SEE CHART SIZE A3	DATE 2000/12/20 2000/12/20 2000/12/20 DOCUMENT NO. SD-52559-054	TITLE 0.5 FPC CONN ASSY ZIF SMT ST EMBSTP PKG molex	SHEET NO. 2 OF 3
		0.25 UNDER	UNDER	±0.03				
		0.25 OVER	0.5 UNDER	±0.05				
		0.5 OVER	1.0 UNDER	±0.1				
		1.0 OVER	10 UNDER	±0.2				
REV	DESCRIPTION	10 OVER	30 UNDER	±0.25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
		30 OVER		±0.3				
		ANGULAR		±3 °				

9 8 7 6 5 4 3 2 1

10 9 8 7 6 5 4 3 2 1



32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

32	33.5	17.4	20.3	52559-3092	30
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極数 CIRCUIT
MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		

REVISED EC NO. J2016-0380 DRAWN: SANIMA 2015/10/15 CHKD: TAKAHASHI 2015/10/16 APPR: INOYAMA 2015/11/09	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
					MM ONLY						
		0.25 UNDER	UNDER	±0.03	DRAWN BY	DATE	TITLE				
		0.25 OVER	0.5 UNDER	±0.05	M. SHIMIZU	2000/12/20	0.5 FPC CONN ASSY ZIF				
		0.5 OVER	1.0 UNDER	±0.1	CHECKED BY	DATE	SMT ST EMBSTP PKG				
		1.0 OVER	10 UNDER	±0.2	S. KUNISHI	2000/12/20					
		10 OVER	30 UNDER	±0.25	APPROVED BY	DATE					
		30 OVER		±0.3	M. FUKUSHIMA	2000/12/20					
		ANGULAR	±3 °		MATERIAL NO.		DOCUMENT NO.				
					SEE CHART		SD-52559-054		SHEET NO. 3 OF 3		
REVIEW	DRAFT WHERE APPLICABLE			SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX						
	MUST REMAIN WITHIN DIMENSIONS			A3	INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

9 8 7 6 5 4 3 2 1