

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0367570023](#)


For any questions, you can email us directly:

sales@integrated-circuit.com




**P.C. BOARD
MOUNTING DIMENSIONS**

2, 3, & 4 POSITION HEADER ASSEMBLIES



6, 9, 12 & 15 POSITION HEADER ASSEMBLIES



NOTES:

1. MATERIAL: NYLON PA6, UL94 V-2, COLOUR: NATURAL(WHITE)
GLOW WIRE COMPATIBLE WITH CTI OF 325V
2. TERMINAL PLATING: ES-88-P921
140 μ m(3.5 μ) MIN 240 μ m(6 μ) MAX OVERALL TIN HOT-DIPPED
3. TERMINAL FOR .062/(1.57) THICK PC BOARD
4. DIMENSIONS ARE FOR REFERENCE ONLY UNLESS INDICATED OTHERWISE
5. HEADER ASSEMBLY HOUSING MATE WITH:
PLUG HOUSINGS .084/(2.13)DIA, SERIES 36643
6. CONTACTS ARE ON .250/(6.35) GRID CENTERLINE SPACING
7. REFER PACKAGING SPECIFICATION
- PK-43255-001 FOR 2,3 & 4 CIRCUIT
- PK-43255-003 FOR 6,9,12 & 15 CIRCUIT

RoHS COMPLIANT

INITIAL RELEASE EC NO: 2076-0100 DRW: NS306 CHKD: A APPR: ISHWARG REV	2016/04/18	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	2016/05/09		mm	INCH	DRAWN BY SS06	DATE 2016/04/18	TITLE MLX HEADER ASSEMBLY .084/(2.13) DIA. SERIES COMPLIANT-POLARIZING PEG		
			4 PLACES ± --- ±.0002	CHECKED BY	DATE				
			3 PLACES ± 0.005 ±.005	APPROVED BY	DATE	molex			
			2 PLACES ± 0.13 ±.01	ISHWARG	2016/05/09				
	1 PLACE ± 0.25 ±---	MATERIAL NO.		DOCUMENT NO.	SHEET NO.				
A			ANGULAR ± 1/2°		SEE CHART		SD-36757-0001		1 OF 2
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

7	6	5	4	3	2	1
---	---	---	---	---	---	---

CIRCUIT SIZE	PART NUMBER	PIN(1) OR SOCKET(2) TERMINALS	*A* DIM ±0.15
2	36757-0021	1	0.17/(4.3)
	36757-0061	2	
3	36757-0022	1	
	36757-0062	2	
4	36757-0023	1	
	36757-0063	2	
6	36757-0024	1	
	36757-0064	2	
9	36757-0025	1	
	36757-0065	2	
12	36757-0026	1	
	36757-0066	2	
15	36757-0027	1	
	36757-0067	2	

RoHS COMPLIANT

INITIAL RELEASE EC NO: 12016-0100 DRW:SS06 CHKD: APPR: SHWARG 2016/04/18 2016/05/09	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY	DATE	TITLE	
			4 PLACES	± ---	±.0002	SS06	2016/04/18	MLX HEADER ASSEMBLY	
			3 PLACES	± 0.005	±.005	CHECKED BY	DATE	.084/(2.13) DIA. SERIES	
			2 PLACES	± 0.13	±.01			COMPLIANT-POLARIZING PEG	
			1 PLACE	± 0.25	± ---	APPROVED BY	DATE	molex	
			0 PLACE	± ---	± ---	ISHWARG	2016/05/09		
			ANGULAR ±1/2°		MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
			DRAFT WHERE APPLICABLE		SEE CHART	SD-36757-0001	2 OF 2		
			A	REV		SIZE A4 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			