## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Dialight 104320202103

For any questions, you can email us directly: <a href="mailto:sales@integrated-circuit.com">sales@integrated-circuit.com</a>

### **Distributor of Dialight: Excellent Integrated System Limited**

Datasheet of 104320202103 - PMI BASE 1 INCAND S-6 BAY SCREW

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



#### Important notes about Classic Panel Mount Indicator Catalog Pages

#### **SCROLL DOWN TO VIEW CATALOG PAGE**

This catalog page is out-of-print and is used with the understanding that the information shown could be out-of-date. In many cases, part numbers shown on this page are discontinued. Most notably, many "Complete Assembly" parts, which consist of a cap and a base, can no longer be ordered by the 14-digit ordering code. To obtain these parts, please order the cap and base part numbers separately. This process provides the components contained with the original "Complete Assembly" part number.

All Dialight Classic Panel Mount Indicators need a leading 3-digit numerical series. In some cases, this catalog will show a 2-digit series. In this case, please add a leading zero. For example, 81-0211-300 becomes **0**81-0211-300.

Part numbers listed on Dialight catalog pages designate parts with Red lenses. For ordering lens colors other than red, consult the chart below. In most cases, the color is dictated by the 7<sup>th</sup> digit. For example, 095-093**2**-003 for a green cap.

Lens Colors				
1 - Red	5 - White			
2 - Green	6 - Light Yellow			
3 - Yellow	7 - Clear			
4 - Blue				

Click here for a cross reference guide to assembly part numbers.

Click here to view Frequently Asked Questions concerning Panel Mount Indicators.

SCROLL DOWN TO VIEW CATALOG PAGE



# ்பிர்சூர் Large Incandescent Indicators

FOR MOUNTING IN 1" CLEARANCE HOLE



S-6 DOUBLE CONTACT BAYONET BASE

See lamp ratings on page K.

Recognized under the component program of Underwriters' Laboratories Inc.



215-3502-0231-403 Flat lens with film disc



#### MATERIALS AND FINISHES

- Mounting Bushing: Brass, white nickel finish. Optional, black nickel finish.
- Lens Holder: Brass, satin chrome finish, Optional, polished chrome or black nickel finish.
- Internal Tooth Lockwasher: Steel, cadmium plated, iridite finish.
- Mounting Nut: Brass, white nickel finish.

How to designate the three digit part number suffix (-XXX)

FINISH	RESISTOR	HARDWARE	
1-WHITE NICKEL	0-NONE	3-WATER-TIGHT,	
2-BLACK NICKEL		OIL TIGHT ON	
3-POLISHED CHROME		THE FACE OF	
4- SATIN CHROME		THE PANEL	

Note: The part numbers given in this catalog indicate **standard** indicator lights. The above table provides the standard and optional designations for **Finish** and **Resistor** where appropriate.

MOVABLE TERMINALS: Terminal part makes direct contact to lamp, no current is carried by springs. Wiring is displaced only 1/16" on insertion of lamp.

FIXED TERMINALS: Connecting wiring may be rigid. No terminal movement during insertion of lamp.

	movable screw terminals	fixed screw terminals	fixed soldering terminals
215 SERIES 104 SERIES	1/16 PANEL (REF.)  005 ± .005 X 1-3/8 ± .020 O.D.  INTERNAL TOOTH LOCKWASHER  1/18 X 1-1/8 ACROSS FLATS HEX. NUT.  1/2 N STHD. MOUNTING BUSHING  PROJECTION BACK OF PANEL  2-3/32 MAX.	632 NC THD.	3,72 DIA. (2 HOLES)
BASE PART NUMBERS	104-3502-02-103	104-3202-02-103	104-3402-02-103
CAP PART NUMBERS	COMPLETE ASSEMBLY PART NUMBERS		
† 215-0231-403 unfrosted (with disc) 104-0211-403 back frosted (without disc)	† 215-3502-0231-403 104-3502-0211-403	† 215-3202-0231-403 104-3502-0211-403	† 215-3402-0231-403 104-3402-0211-403

For movable soldering terminals, change the group of digits of the part number that reads -3502- to -3602-. Example: 215-3602-0231-403.

† See "Legend Film Discs" on page 1E.

Part numbers listed in this catalog designate products with RED lens. For ordering lens colors other than red, consult chart on page 1E.

Order complete with lamp to be assured of receiving the indicator light and correct lamp together for immediate use.