

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0444720453](#)



For any questions, you can email us directly:

sales@integrated-circuit.com

CKT SIZE	DIM A	DIM B
4	.709 (18.00)	.496 (12.60)
5	.874 (22.20)	.661 (16.80)
6	1.039 (26.40)	.827 (21.00)
7	1.205 (30.60)	.992 (25.20)
8	1.370 (34.80)	1.157 (29.40)
9	1.535 (39.00)	1.323 (33.60)
10	1.701 (43.20)	1.488 (37.80)
11	1.866 (47.40)	1.654 (42.00)
12	2.031 (51.60)	1.819 (46.20)



- NOTES:
- MATERIALS:
HOUSING:
*1"-NYLON 6/6, UL94 V-2, COLOR: NATURAL
*2"-NYLON 6/6, UL94 V-0, COLOR: NATURAL
*3"-NYLON 6/6, UL94 V-2, COLOR: BLACK
TERMINALS:
COPPER ALLOY
 - TERMINAL PLATING:
*1"-.000100/(0.00254) MIN. MATTE TIN OVER
.000050/(0.00127) MIN. NICKEL
*2"-.000030/(0.00076) MIN. SELECT GOLD AND
.000100/(0.00254) MIN. SELECT MATTE TIN
OVER .000050/(0.00127) MIN. NICKEL OVERALL
 - PRODUCT SPECIFICATION: PS-44476-001
 - PACKAGING: SEE CHARTS
 - PART MATES WITH MINI-FIT JR. RECEPTACLE NO. 5557.
 - PART IS NOT DESIGNED FOR CURRENT SHARING.
 - PARTS ARE NOT TO BE MATED OR UN-MATED WHILE CIRCUITS ARE LIVE.
 - 44472-2470 ONLY FOR WIDER LOCKING RAMP.
 - PARTS WILL HAVE "HCS" MARKING.
 - SEE CHART FOR PARTS WITH PEGS REMOVED.
 - PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



RECOMMENDED HOLE LAYOUT FOR
.070/(1.78) MAX. THICK P. C. BOARD
VIEWED FROM COMPONENT SIDE





LEGEND:

44472 - ** **
CIRCUIT SIZE
(04-12 FOR SINGLE ROW)
(02-24 FOR DUAL ROW)
ASSEMBLY VERSION
(01 THRU 49 FOR SINGLE ROW)
(50 THRU 99 FOR DUAL ROW)

SEE SHT. 2 FOR DUAL ROW
* THE CHART FOR SINGLE ROW PRODUCT IS ON PAGE 6.

CHANGE PLATING	EC NO.	DRAWN BY	CHECKED BY	APPROVED BY	DATE	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
UCP2012-1560	2012/01/05	DRWINGUTEN	2012/01/05	CHKO:JELL	2012/01/05	APPR:SMITH	2012/02/02	IN/MM	4:1	METRIC	THIRD ANGLE PROJECTION	MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW	MOLEX INCORPORATED	SDA-44472-****	1 OF 8
4 PLACES ±---	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
3 PLACES ±---	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
2 PLACES ±---	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
1 PLACE ±---	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
ANGULAR ±1/2°	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
DRAFT WHERE APPLICABLE	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
MUST REMAIN	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
WITHIN DIMENSIONS	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
SEE CHARTS	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	±---	±---	±---	±---	±---	±---	±---	IN/MM	DATE	DATE	DATE	DATE	DATE	DATE	DATE

2		1		
CIRCUIT SIZE	DIM. 'A'	DIM. 'B'	DIM. 'C'	
2	.21 (5.4)	—	.370 (9.40)	
4	.38 (9.6)	.17 (4.2)	.535 (13.60)	
6	.54 (13.8)	.33 (8.4)	.701 (17.80)	
8	.71 (18.0)	.50 (12.6)	.866 (22.00)	
10	.87 (22.2)	.66 (16.8)	1.031 (26.20)	
12	1.04 (26.4)	.83 (21.0)	1.197 (30.40)	
14	1.20 (30.6)	.99 (25.2)	1.362 (34.60)	
16	1.37 (34.8)	1.16 (29.4)	1.528 (38.80)	
18	1.54 (39.0)	1.32 (33.6)	1.693 (43.00)	
20	1.70 (43.2)	1.49 (37.8)	1.858 (47.20)	
22	1.87 (47.4)	1.65 (42.0)	2.024 (51.40)	
24	2.03 (51.6)	1.82 (46.2)	2.189 (55.60)	



RECOMMENDED HOLE LAYOUT FOR .070/(1.78) MAX. THICK P.C. BOARD
VIEWED FROM COMPONENT SIDE

SEE SHT. I FOR SINGLE ROW

SEE SHEET 1 EC NO: UC2022-1560 DRAWN: NGUYEN 2021/01/05 CHKD: BELL 2021/01/05 APPR: JHILL 2021/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ±	mm	INCH	DRAWN BY	DATE	TITLE	
	▽=0	3 PLACES ±	---	---	GEP	1994/07/25	MINI-FIT VERT HDR ASSY	
	▽=0	2 PLACES ±	0.38	0.020	CHECKED BY	DATE	W & W/O PEGS/DRAIN HOLES	
	▽=0	1 PLACE ±	0.50	0.020	R/JF	1994/07/25	SINGLE AND DUAL ROW	
		ANGULAR ±1/2°		APPROVED BY	DATE	MOLEX INCORPORATED		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SDA-44472-****		SHEET NO. 2 OF 8
				SEE CHARTS				
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

DUAL ROW PART NUMBERS WITH MATTE TIN PLATING

WITH PEGS


PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001
ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0250	2	44472-0251	2	44472-0252	2	44472-0253	2
44472-0450	4	44472-0451	4	44472-0452	4	44472-0453	4
44472-0650	6	44472-0651	6	44472-0652	6	44472-0653	6
44472-0850	8	44472-0851	8	44472-0852	8	44472-0853	8
44472-1050	10	44472-1051	10	44472-1052	10	44472-1053	10
44472-1250	12	44472-1251	12	44472-1252	12	44472-1253	12
44472-1450	14	44472-1451	14	44472-1452	14	44472-1453	14
44472-1650	16	44472-1651	16	44472-1652	16	44472-1653	16
44472-1850	18	44472-1851	18	44472-1852	18	44472-1853	18
44472-2050	20	44472-2051	20	44472-2052	20	44472-2053	20
44472-2250	22	44472-2251	22	44472-2252	22	44472-2253	22
44472-2450	24	44472-2451	24	44472-2452	24	44472-2453	24

WITHOUT PEGS

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001
ITEM NO.	HOUSING NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.
44472-0254		2	44472-0255	2	44472-0256	2	44472-0257
44472-0454		4	44472-0455	4	44472-0456	4	44472-0457
44472-0654		6	44472-0655	6	44472-0656	6	44472-0657
44472-0854		8	44472-0855	8	44472-0856	8	44472-0857
44472-1054		10	44472-1055	10	44472-1056	10	44472-1057
44472-1254		12	44472-1255	12	44472-1256	12	44472-1257
44472-1454		14	44472-1455	14	44472-1456	14	44472-1457
44472-1654		16	44472-1655	16	44472-1656	16	44472-1657
44472-1854		18	44472-1855	18	44472-1856	18	44472-1857
44472-2054		20	44472-2055	20	44472-2056	20	44472-2057
44472-2254		22	44472-2255	22	44472-2256	22	44472-2257
44472-2454		24	44472-2455	24	44472-2456	24	44472-2457

• ITEMS PRECEDED BY AN 'X' ARE NOT AVAILABLE.

SEE SHEET 1 EC NO: UCP2072-1560 DRAWING NO: 2072/01/05 CHKD: JELL APPR: SMTH REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .015 2 PLACES ± 0.38 ± .020 1 PLACE ± 0.50 ± --- ANGULAR ± 1/2°	DIMENSION STYLE IN/MM DRAWN BY DATE GEP 1994/07/25 CHECKED BY DATE R.J.F. 1994/07/25 APPROVED BY DATE R.J.F. 1994/07/25	SCALE 1:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW MOLEX INCORPORATED	MATERIAL NO. DOCUMENT NO. SDA-44472-****	SHEET NO. 3 OF 8
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHARTS			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0444720453 - MINIFIT HCS DR V/PEGS V-0 /DH 4C

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

DUAL ROW PART NUMBERS WITH SELECT GOLD PLATING

WITH PEGS

PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001
ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS
X 44472-0260	2	X 44472-0261	2	44472-0262	2	X 44472-0263	2
X 44472-0460	4	X 44472-0461	4	X 44472-0462	4	X 44472-0463	4
X 44472-0660	6	X 44472-0661	6	X 44472-0662	6	X 44472-0663	6
X 44472-0860	8	X 44472-0861	8	X 44472-0862	8	X 44472-0863	8
X 44472-1060	10	X 44472-1061	10	X 44472-1062	10	X 44472-1063	10
X 44472-1260	12	X 44472-1261	12	X 44472-1262	12	X 44472-1263	12
X 44472-1460	14	X 44472-1461	14	X 44472-1462	14	X 44472-1463	14
X 44472-1660	16	X 44472-1661	16	X 44472-1662	16	X 44472-1663	16
X 44472-1860	18	X 44472-1861	18	X 44472-1862	18	X 44472-1863	18
X 44472-2060	20	X 44472-2061	20	X 44472-2062	20	X 44472-2063	20
X 44472-2260	22	X 44472-2261	22	X 44472-2262	22	X 44472-2263	22
X 44472-2460	24	X 44472-2461	24	X 44472-2462	24	X 44472-2463	24

WITHOUT PEGS

PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:		PLATING:	2 (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:		DRAINS:	WITH DRAIN HOLES
PEGS:	WITHOUT PEGS	PEGS:	WITHOUT PEGS	PEGS:		PEGS:	WITHOUT PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:		MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	PK-5566-001
ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS
X 44472-0264	2	X 44472-0265	2			X 44472-0267	2
X 44472-0464	4	X 44472-0465	4			X 44472-0467	4
X 44472-0664	6	X 44472-0665	6			X 44472-0667	6
X 44472-0864	8	X 44472-0865	8			X 44472-0867	8
X 44472-1064	10	X 44472-1065	10			X 44472-1067	10
X 44472-1264	12	X 44472-1265	12			X 44472-1267	12
X 44472-1464	14	X 44472-1465	14			X 44472-1467	14
X 44472-1664	16	X 44472-1665	16			X 44472-1667	16
X 44472-1864	18	X 44472-1865	18			X 44472-1867	18
X 44472-2064	20	X 44472-2065	20			X 44472-2067	20
X 44472-2264	22	X 44472-2265	22			X 44472-2267	22
X 44472-2464	24	X 44472-2465	24			X 44472-2467	24

* ITEMS PRECEDED BY A 'X' ARE NOT AVAILABLE.

SEE SHEET 1 EC NO: UCP2072-1560 DRAWING: 2072/01/05 CHKD: JELL APPR: SMTH 2072/02/02	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .015 2 PLACES ± 0.38 ± .020 1 PLACE ± 0.50 ± --- ANGULAR ± 1/2°	DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			DRAWN BY GEP	DATE 1994/07/25	TITLE MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW		
			CHECKED BY R.J.F.	DATE 1994/07/25	MOLEX INCORPORATED		
			APPROVED BY R.J.F.	DATE 1994/07/25	SDA-44472-****		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHARTS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 4 OF 8

DUAL ROW PART NUMBERS WITH WIDE LATCH OPTION

WITH PEGS

PLATING:		I (SEE NOTE 2)	
DRAINS:		WITH DRAIN HOLES	
PEGS:		WITH PEGS	
MAT'L:		94V-2 [NATURAL]	
PACKAGING:		PK-5566-001	
ITEM NO.			CKTS
X	44472-0270		2
X	44472-0470		4
X	44472-0670		6
X	44472-0870		8
X	44472-1070		10
X	44472-1270		12
X	44472-1470		14
X	44472-1670		16
X	44472-1870		18
X	44472-2070		20
X	44472-2270		22
	44472-2470		24

* ITEMS PRECEDED BY 'X' ARE NOT AVAILABLE.

SEE SHEET 1 EC NO: UCP2072-1560 DRAWN: NGUYEN CHKD: BELL APPROVED: SMITH	2017/01/05 2017/01/05 2017/02/02	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW MOLEX INCORPORATED		
	mm INCH		DRAWN BY DATE GEP 1994/07/25		TITLE							
	4 PLACES ± --- ± ---		CHECKED BY DATE R/JF 1994/07/25									
	3 PLACES ± --- ± .015		APPROVED BY DATE R/JF 1994/07/25		MOLEX							
	2 PLACES ± 0.38 ± .020		MATERIAL NO. SDA-44472-****		DOCUMENT NO.							
	1 PLACE ± 0.50 ± ---		SEE CHART		SHEET NO.							
	ANGULAR ± 1/2°		C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		5 OF 8							
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
	REV											

SINGLE ROW PART NUMBERS WITH PEGS

MATTE TIN PLATING

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)
DRAINS:	WITH DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002
ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0401	4	44472-0402	4	44472-0403	4	44472-0404	4
X 44472-0501	5	44472-0502	5	X 44472-0503	5	44472-0504	5
X 44472-0601	6	X 44472-0602	6	X 44472-0603	6	X 44472-0604	6
X 44472-0701	7	X 44472-0702	7	X 44472-0703	7	X 44472-0704	7
X 44472-0801	8	X 44472-0802	8	X 44472-0803	8	X 44472-0804	8
X 44472-0901	9	X 44472-0902	9	X 44472-0903	9	X 44472-0904	9
X 44472-1001	10	X 44472-1002	10	X 44472-1003	10	X 44472-1004	10
X 44472-1101	11	X 44472-1102	11	X 44472-1103	11	X 44472-1104	11
X 44472-1201	12	X 44472-1202	12	X 44472-1203	12	X 44472-1204	12

GOLD PLATING

PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)	PLATING:	2 (SEE NOTE 2)
DRAINS:	WITHOUT DRAIN HOLE	DRAINS:	WITHOUT DRAIN HOLE	DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITHOUT DRAIN HOLES
PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS	PEGS:	WITH PEGS
MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-2 [NATURAL]	MAT'L:	94V-0 [NATURAL]	MAT'L:	94V-0 [NATURAL]
PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002	PACKAGING:	PK-5566-002
ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS	ITEM NO.	CKTS
44472-0407	4	44472-0408	4	44472-0409	4	44472-0410	4
X 44472-0507	5	X 44472-0508	5	X 44472-0509	5	X 44472-0510	5
X 44472-0607	6	X 44472-0608	6	X 44472-0609	6	X 44472-0610	6
X 44472-0707	7	X 44472-0708	7	X 44472-0709	7	X 44472-0710	7
X 44472-0807	8	X 44472-0808	8	X 44472-0809	8	X 44472-0810	8
X 44472-0907	9	X 44472-0908	9	X 44472-0909	9	X 44472-0910	9
X 44472-1007	10	X 44472-1008	10	X 44472-1009	10	X 44472-1010	10
X 44472-1107	11	X 44472-1108	11	X 44472-1109	11	X 44472-1110	11
X 44472-1207	12	X 44472-1208	12	X 44472-1209	12	X 44472-1210	12

SEE SHEET 1 EC NO: UCP2072-1560 DRAWING NO: 2072/01/05 CHKD: JELL APPR: SMTH REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .015 2 PLACES ± 0.38 ± .020 1 PLACE ± 0.50 ± --- ANGULAR ± 1/2°	DIMENSION STYLE IN/MM DRAWN BY DATE GEP 1994/07/25 CHECKED BY DATE R.J.F 1994/07/25 APPROVED BY DATE R.J.F 1994/07/25	SCALE 1:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW	
					MOLEX INCORPORATED	
					MATERIAL NO. DOCUMENT NO. SDA-44472-****	
					SHEET NO. 6 OF 8	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0444720453 - MINIFIT HCS DR V/PEGS V-0 /DH 4C

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

DUAL ROW PART NUMBERS 1 PEG REMOVED

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:		PLATING:	
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:		DRAINS:	
PEGS:	PEG #1 REMOVED	PEGS:	PEG #1 REMOVED	PEGS:	PEG #1 REMOVED	PEGS:	PEG #1 REMOVED
MAT'L:	92V-2 (NATURAL)	MAT'L:	92V-2 (NATURAL)	MAT'L:		MAT'L:	
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	
X	ITEM NO.	CKTS	X	ITEM NO.	CKTS	X	ITEM NO.
X	44472-0273	2	X	44472-0274	2	X	44472-0273
X	44472-0473	4	X	44472-0474	4	X	44472-0473
X	44472-0673	6	X	44472-0674	6	X	44472-0673
X	44472-0873	8	X	44472-0874	8	X	44472-0873
X	44472-1073	10	X	44472-1074	10	X	44472-1073
X	44472-1273	12	X	44472-1274	12	X	44472-1273
X	44472-1473	14	X	44472-1474	14	X	44472-1473
X	44472-1673	16	X	44472-1674	16	X	44472-1673
X	44472-1873	18	X	44472-1874	18	X	44472-1873
X	44472-2073	20	X	44472-2074	20	X	44472-2073
X	44472-2273	22	X	44472-2274	22	X	44472-2273
X	44472-2473	24	X	44472-2474	24	X	44472-2473

PLATING:	I (SEE NOTE 2)	PLATING:	I (SEE NOTE 2)	PLATING:		PLATING:	
DRAINS:	WITHOUT DRAIN HOLES	DRAINS:	WITH DRAIN HOLES	DRAINS:		DRAINS:	
PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED	PEGS:	PEG #2 REMOVED
MAT'L:	92V-2 (NATURAL)	MAT'L:	92V-2 (NATURAL)	MAT'L:		MAT'L:	
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:		PACKAGING:	
X	ITEM NO.	CKTS	X	ITEM NO.	CKTS	X	ITEM NO.
X	44472-0277	2	X	44472-0278	2	X	44472-0277
X	44472-0477	4	X	44472-0478	4	X	44472-0477
X	44472-0677	6	X	44472-0678	6	X	44472-0677
X	44472-0877	8	X	44472-0878	8	X	44472-0877
X	44472-1077	10	X	44472-1078	10	X	44472-1077
X	44472-1277	12	X	44472-1278	12	X	44472-1277
X	44472-1477	14	X	44472-1478	14	X	44472-1477
X	44472-1677	16	X	44472-1678	16	X	44472-1677
X	44472-1877	18	X	44472-1878	18	X	44472-1877
X	44472-2077	20	X	44472-2078	20	X	44472-2077
X	44472-2277	22	X	44472-2278	22	X	44472-2277
X	44472-2477	24	X	44472-2478	24	X	44472-2477

* ITEMS PRECEDED BY AN "X" ARE NOT AVAILABLE

SEE SHEET 1 EC NO: UCP2072-1560 DRAWING NO: 2072/01/05 CHKD: JELL APPR: SMTH 2072/02/02	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ±.005 ±.005 3 PLACES ±.005 ±.015 2 PLACES ±.038 ±.020 1 PLACE ±.050 ±.005 ANGULAR ±1/2°	DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			DRAWN BY GEP	DATE 1994/07/25	TITLE MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW		
			CHECKED BY R.J.F.	DATE 1994/07/25	MOLEX INCORPORATED		
			APPROVED BY R.J.F.	DATE 1994/07/25	MATERIAL NO. DOCUMENT NO. SDA-44472-****		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 7 OF 8

DUAL ROW PART NUMBERS WITH MATTE TIN PLATING
(DO NOT USE FOR NEW APPLICATIONS)

WITH PEGS			
PLATING:	1 (SEE NOTE 2)		
DRAINS:	WITH DRAIN HOLES		
PEGS:	WITH PEGS		
MAT'L:	94V-0 (NATURAL)		
PACKAGING:			
	ITEM NO.		CKTS
	44472-0283	0	2
	44472-0483	0	4
	44472-0683	0	6
	44472-0883		8
	44472-1083	0	10
	44472-1283	0	12
	44472-1483	0	14
	44472-1683	0	16
	44472-1883	0	18
	44472-2083		20
	44472-2283		22
	44472-2483	0	24

0 = OBSOLETE

SEE SHEET 1 EC NO: UCP202-1560 DRAWING: 2017/01/05 CHKD: JELL APPR: SMITH 2017/02/02	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	DOCUMENT NO.	SHEET NO.			
					IN/MM		1:1	METRIC							
					DRAWN BY DATE		MINI-FIT VERT HDR ASSY W & W/O PEGS/DRAIN HOLES SINGLE AND DUAL ROW						 MOLEX INCORPORATED		
					CHECKED BY DATE										
					APPROVED BY DATE										
					R/JF 1994/07/25										
					R/JF 1994/07/25										
					ANGULAR ±1/2°										
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART						SDA-44472-****		8 OF 8
							SIZE C						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		