

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[D09P13A6RL12LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

D X X P 1 3 A 6 X X 1 2 L F

SERIES

NO.OF CONTACTS

09,15,25,37

TYPE OF CONTACTS

P-PIN

TYPE OF TERMINATION

13-ANGLED SPILL

PITCH 2.54

FOOT PRINT 10.40 EUROPE

HEIGHT OF TERMINATION

A-2.00mm COMPATIBLE FOR 1.6mm PCB

RoHS INFORMATIONS

"This LF product meets European Union Directives and other country regulations as described in GS-22-008"

The housing will withstand exposure to 260°C peak temperature for 30 seconds in a convection,infra-red or vapor reflow oven solder application.

Packaging as per GS-14-920

PRODUCT SPECIFICATION

See :- GS-12-433

PACKAGING SPECIFICATION

See :- GS-14-1139

SEE NOTE RoHS

PACKAGING SPECIFICATION

12- TAPE AND REEL PACKAGING

MOUNTING OPTIONS

RV->LIF METAL PEG+F.SCREW LOCK UNC 4 40+METAL BRACKET

RL->LIF METAL PEG+ INSERT M3+METAL BRACKET




RX->LIF METAL PEG+ INSERT UNC 4-40 +METAL BRACKET

PLATING





6-500 Mating/Un-mating performance

mat'l. code				surface		tolerance		projection	product family	
SEE TECH.SPEC				ISO 1302	ISO 406	ISO 1101			DELTA-D	
ltr	ecn no	dr	date	tolerances unless otherwise specified				MM	title	
A	02-0867	AS	2007-12-04	angles	linear	.00±0.1			DELTA-D A/S MALE PIP CONNECTOR	
B	02-0755	AS	2008-12-23			.000±.00X		scale	EUROPE VERSION	
C	09-0862	AS	2009-08-19	dr	AMISH SALAM	2007-12-04			dwg no	sheet 1 of 2
				enrg	AMISH SALAM	2009-08-19			C-DD-0104	
				chr	AMISH SALAM	2009-08-19			A3	
				appd	BHUK PAUL	2009-08-19			type Product Customer Drawing	
sheet index	revision	sheet	C	C						
		1	2							

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com




SECTION A - A




TRUE POSITIONING : $\phi 0.36$

ACCESSORIES DETAILS

RV VERSION



RX/RL VERSION



mat'l. code SEE TECH.SPEC				surface ISO 1302		tolerance ISO 406 ISO 1101		projection 		product family DELTA-D	
ltr	ecn no	dr	date	tolerances unless otherwise specified						title	
A	107-0867	AS	2007-12-04	angles		linear		MM		DELTA-D A/S MALE PIP CONNECTOR	
B	107-0875	AS	2008-12-23	0°±1°		0.0±0.1		scale →		EUROPE VERSION	
C	109-0862	AS	2009-08-19			0.00±.00X				dwg no	
				enrg		ANISH SALAM		2007-12-04		sheet 2 of 2	
				enrg		ANISH SALAM		2009-08-19		size	
				chr		ANISH SALAM		2009-08-19		A3	
				appd		BIJU K. PAUL		2009-08-19		type	
										Product Customer Drawing	
sheet index				revision sheet		C		C			
				1		2					