

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[CTAM110M4](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## CTAM110M4



**Article Number: 151-31106**

**Cable Tie Anchor Mount, 0.17" Hole Dia., 0.2" Max Tie Width, PA66, White, 1000/pkg**



Download spec sheet

### Base Data

**Local Order Number** CTAM110M4

**Type** CTAM1

**Color** White (WH)

**Features and Benefits**

- 4-way entry allowing the cable tie to secure bundles running parallel or perpendicular.
- Secures with a single screw providing quick installation.

**Product Description** HellermannTyton cable tie anchor mounts are designed with a 4-way entry allowing the cable tie to secure bundles running parallel or perpendicular. The mounts are installed quick and easy by securing a single screw.

**Short Description** Cable Tie Anchor Mount, 0.17" Hole Dia., 0.2" Max Tie Width, PA66, White, 1000/pkg

### Product Dimensions

**Length L (Imperial)** 0.8 "

**Length L (Metric)** 20.4 mm

**Fixation Method** Screw Mounting and Rivet

**Width W (Imperial)** 0.4 "

**Width W (Metric)** 10.2 mm

**Cable Tie Width Max. (Imperial)** 0.2 "

**Cable Tie Width Max. (Metric)** 5.0 mm

**Height H (Imperial)** 0.2 "

**Height H (Metric)** 5.1 mm

**Height H2 (Imperial)** 0.06 "

**Height H2 (Metric)** 1.8 mm

**Mounting Hole Diameter D (Imperial)** 0.17 "

**Mounting Hole Diameter D (Metric)** 4.3 mm

**Mounting Hole Diameter D Max. (Metric)** 4.3 mm

**Mounting Hole Diameter D Min. (Metric)** 4.3 mm

### Logistics and Packaging

**Quantity Per** bag

**Package Quantity (Metric)** 1000

### Material and Specifications

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66



**Operating Temperature** -40°F to +185°F (-40°C to +85°C)

**ROHS Compliant** Yes

**Certification/Specification** UL

**UL Listed (US and Canada)** No

**UL Recognized (US and Canada)** Yes