

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[CTM310M4](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## CTM310M4



**Article Number:** 151-30607

**Cable Tie Mount, 0.2" Hole Dia., 0.31" Max Tie Width, PA66, White, 1000/pkg**



Download spec sheet

### Base Data

**Local Order Number** CTM310M4

**Type** CTM3

**Color** White (WH)

**Features and Benefits**

- Designed for use with 18 through 120 pound cable ties to provide stability when securing bundles.
- Secures with a single screw providing quick installation.

**Product Description** HellermannTyton cable tie mounts are designed for use with 18 through 120 pound cable ties to provide stability when securing bundles. The mounts are installed quick and easy by securing a single screw.

**Short Description** Cable Tie Mount, 0.2" Hole Dia., 0.31" Max Tie Width, PA66, White, 1000/pkg

### Product Dimensions

**Length L (Imperial)** 0.86 "

**Length L (Metric)** 21.8 mm

**Fixation Method** Screw Mounting and Rivet

**Width W (Imperial)** 0.61 "

**Width W (Metric)** 15.5 mm

**Cable Tie Width Max. (Imperial)** 0.31 "

**Cable Tie Width Max. (Metric)** 7.9 mm

**Height H (Imperial)** 0.37 "

**Height H (Metric)** 9.4 mm

**Mounting Hole Diameter D (Imperial)** 0.2 "

**Mounting Hole Diameter D (Metric)** 5.1 mm

**Mounting Hole Diameter D Max.** 5.1 mm

**(Metric) Mounting Hole Diameter D Min. (Metric)** 5.1 mm

### Logistics and Packaging

**Quantity Per** bag

**Package Quantity (Metric)** 1000

### Material and Specifications

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**Flammability** UL94 V2

**Operating Temperature** -40°F to +185°F (-40°C to +85°C)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of CTM310M4 - CABLE TIE MNT .2" DIA WHITE

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**ROHS Compliant** Yes

**Certification/Specification** UL62275

**UL Listed (US and Canada)** No

**UL Recognized (US and Canada)** Yes