



## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[170-03097](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

170-03097



Article Number: 170-03097

Aluminum Laminated Fiberglass Sleeve, 2.5" Dia., Silver, 50.0 ft/Standard Reel



Download drawing



Download spec sheet



Download tech sheet

## Base Data

Local Order Number 170-03097

Type BSHTTST212SR

Color Silver (SR)

- Features and Benefits**
- A layer of aluminum provides protection from chemicals, scraping, cuts and abrasion.
  - Additional layer also provides insulation barrier for vulnerable wires and cables within high temperature environments.
  - Cuts with ordinary scissors for fast, easy application.

**Product Description** A tubular shaped sleeving product that combines the protection of bonded aluminum and fiberglass into a single solution that is able to deflect radiant heat away from sensitive components inside the tube.

**Short Description** Aluminum Laminated Fiberglass Sleeve, 2.5" Dia., Silver, 50.0 ft/Standard Reel

## Product Dimensions

Length L (Imperial) 50.0 ft

Length L (Metric) 15.2 m

Reel Length (imperial) 50.0 ft

Bundle Diameter Max. (Imperial) 2.375 "

Bundle Diameter Max. (Metric) 60.3 mm

Nominal Diameter (Imperial) 2-1/2 "

Nominal Diameter (Metric) 63.5 mm

## Logistics and Packaging

Quantity Per reel

Package Quantity 50 ft

Package Quantity (Metric) 1

Weight (Metric) 2.3 kg

Weight (imperial) 5.05 lbs

## Material and Specifications

**Material** Aluminium (AL)  
Glass Fiber (GF)

**Flammability** non flammable

**Operating Temperature** -76°F to +491°F (-60°C to +255°C)

**ROHS Compliant** Yes



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 170-03097 - ALUM FBRGLSS SLVNG 2.5"DIA SLVR

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---