

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[CTM310C2](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

CTM310C2



Article Number: 151-30605

Cable Tie Mount, 0.2" Hole Dia., 0.31" Max Tie Width, PA66, White, 100/pkg



Download spec sheet

Base Data

Local Order Number CTM310C2

Type CTM3

Color White (WH)

Features and Benefits

- Designed for use with 18 through 120 pound cable ties to provide stability when securing bundles.
- Secures with a single screw providing quick installation.

Product Description HellermannTyton cable tie mounts are designed for use with 18 through 120 pound cable ties to provide stability when securing bundles. The mounts are installed quick and easy by securing a single screw.

Short Description Cable Tie Mount, 0.2" Hole Dia., 0.31" Max Tie Width, PA66, White, 100/pkg

Product Dimensions

Length L (Imperial) 0.86 "

Length L (Metric) 21.8 mm

Fixation Method Screw Mounting and Rivet

Width W (Imperial) 0.61 "

Width W (Metric) 15.5 mm

Cable Tie Width Max. (Imperial) 0.31 "

Cable Tie Width Max. (Metric) 7.9 mm

Height H (Imperial) 0.37 "

Height H (Metric) 9.4 mm

Mounting Hole Diameter D (Imperial) 0.2 "

Mounting Hole Diameter D (Metric) 5.1 mm

Mounting Hole Diameter D Max. 5.1 mm

(Metric) Mounting Hole Diameter D Min. (Metric) 5.1 mm

Logistics and Packaging

Quantity Per bag

Package Quantity (Metric) 100 Pieces

Material and Specifications

Material Polyamide 6.6 (PA66)

Material Shortcut PA66

Flammability UL94 V2

Operating Temperature -40°F to +185°F (-40°C to +85°C)



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of CTM310C2 - CBL TIE MNT .2"DIA .31"W WHITE

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

ROHS Compliant Yes

Certification/Specification UL

UL Listed (US and Canada) No

UL Recognized (US and Canada) Yes