

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[T30MR0C2](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

T30MR0C2



Article Number: 113-03010

Screw Mount Tie, 30lb 6.3" Long, Max Bundle Diameter 1.3", #8 Screw, PA66, Black, 100/pkg



Download spec sheet

Base Data

Local Order Number T30MR0C2

Type T30MR

Color Black (BK)

Features and Benefits

- Mount design secures firmly with any #8 Screw
- Screw mount style creates low insertion and high extraction force.

Product Description Screw Mount Cable Ties are made of all plastic and provide a quick and simple method of mounting.

Short Description Screw Mount Tie, 30lb 6.3" Long, Max Bundle Diameter 1.3", #8 Screw, PA66, Black, 100/pkg

Product Dimensions

Minimum Tensile Strength (Imperial) 30.0 lbs

Minimum Tensile Strength (Metric) 135 N

Length L (Imperial) 6.3 "

Length L (Metric) 160.0 mm

Fixation Method fixing hole

Identification Plate Position none

Releasable Closure No

Tie Closure plastic pawl

Variant Inside Serrated

Width W (Imperial) 0.14 "

Width W (Metric) 3.5 mm

Height H (Imperial) 0.17 "

Height H (Metric) 4.2 mm

Bundle Diameter Min. (Imperial) 0.06 "

Bundle Diameter Min. (Metric) 1.5 mm

Bundle Diameter Max. (Imperial) 1.3 "

Bundle Diameter Max. (Metric) 32.0 mm

Mounting Hole Diameter D (Imperial) 0.17 "

Mounting Hole Diameter D (Metric) 4.3 mm

Thickness T (Imperial) 0.05 "

Mounting Hole Diameter D Max. 4.3 mm

(Metric) Mounting Hole Diameter D Min. (Metric) 4.3 mm

Thickness T (Metric) 1.2 mm

Logistics and Packaging

Quantity Per	bag
Package Quantity (Metric)	100 Pieces
Carton Quantity	5000
Weight (Metric)	0.9 kg

Material and Specifications

Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Flammability	UL94 V2
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
ROHS Compliant	Yes
Certification/Specification	UL
UL Listed (US and Canada)	No
UL Recognized (US and Canada)	Yes