Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Wurth Electronics Inc 742792096


For any questions, you can email us directly: sales@integrated-circuit.com




Datasheet of 742792096 - WE-CBF SMD EMI SUPP FERRITE BEAD

more than you expect

A Dimensions: [mm]



B Recommended land pattern: [mm]



Scale - 10:1

D Electrical Properties:

Properties	Test conditions		Value	Unit	Tol.
Impedance @ 100 MHz	100 MHz	Z	1000	Ω	±25%
Maximum impedance	100 MHz	Z	1000	Ω	typ.
Rated current	$\Delta T = 40K$	I _R	1000	mA	max.
DC Resistance		R _{DC}	0.30	Ω	max.
Туре			High Current		

C Schematic:

Scale - 10:1



E General information:

Do not use this part beyond the Rated Current, as this will create

- Storage Temperature (on Tape & Reel): -20°C to 60°C
 Operating Temperature: -55°C to 125°C
 Test conditions of Electrical Properties: 20°C, 33% RH if not specified differently

				Projection ,
3.7	2014-06-05	SSt	SSt	1-1-6-1
3.6	2013-12-18	SSt	SSt	
3.5	2013-04-17	SSt	SSt	Würth Elektronik eiSos GmbH & Co. KG
3.4	2012-11-28	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1
3.3	2012-10-23	SSt	SMu	74638 Waldenburg
3.2	2012-09-26	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0
3.1	2012-06-26	SSt	SSt	www.we-online.com eiSos@we-online.com
DEV/	DATE	DV	CHECKED	cious@wc-urillite.cuiti

WE-CBF SMD EMI Suppression Ferrite Bead

Order - No

DESCRIPTION


742792096








F1 Typical Impedance Characteristics:



Test Equipment: E4991A or equivalent

F2 Derating Curve:



				Projection .		DESCRIPTION		
3.7	2014-06-05	SSt	SSt					
3.6	2013-12-18	SSt	SSt	9		WE-CBF SMD E	MI Suppression Ferrite	е
3.5	2013-04-17	SSt	SSt	Würth Elektronik eiSos Gmbl	H & Co. KG	Bead		
3.4	2012-11-28	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1		Deau		
3.3	2012-10-23	SSt	SMu	74638 Waldenburg		Order No.	COMPLIANT	SIZE
3.2	2012-09-26	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0			ROHS&REACH WÜRTH ELEKTRONIK	OILL
3.1	2012-06-26	SSt	SSt	www.we-online.com eiSos@we-online.com		742792096		
REV	DATE	BY	CHECKED	CIOUSWING-UTIIITE.CUTT		Size: 0805		


This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability attended is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Willin Elektronic eloses from HA Co KG products are neither designed not intended for use in areas such as millarly, averagone, availant, uncharge control, submarine, transportation signal, disaster prevention, medical, public information network etc.. Will'in Elektronic ReSis Grital H & Co KG must be informed about the intent of such usage before the design-in stage, in a death or, subficient feedingly evaluation condens for safety must be performed on every electronic component without its useful in electrical circuits that require high safety and reliability handsort on develop and reliability handsort o




Datasheet of 742792096 - WE-CBF SMD EMI SUPP FERRITE BEAD

more than you expect


G Packaging Specification - Tape and Reel [mm]:




		A0	В0	w	P1	Т	T1	D0	E1	E2	F	P0	P2	Таре	Packaging Unit
	tolerance	typ.	typ.	+0,3	± 0,1	max.	max.	+0,1	± 0,1	min.	± 0,05	± 0,1	± 0,05		
_	0402	0,69	1,19	8,00	2,00	0,66	0,10	1,50	1,75	6,25	3,50	4,00	2,00	Paper	10000
size	0603	1,10	1,88	8,00	4,00	1,10	0,10	1,50	1,75	6,25	3,50	4,00	2,00	Paper	4000
"	0805	1,42	2,24	8,00	4,00	1,04	0,10	1,50	1,75	6,25	3,50	4,00	2,00	Paper	4000



Packaging is referred to the international standard IEC 60286 -3:2007





3.6 2013-12-18 SSt SSt Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions Max-Eyir-Str. 1 74638 Waldenburg Germany Tel. -449 (0) 79 42 945 - 0 www.we-online.com eiSos@we-online.com SSt SSt 3.5 2013-04-17 3.4 2012-11-28 SSt SSt 2012-10-23 SSt 3.2 SSt SMu 2012-09-26 | Pull-of force | Tape width | 8 mm | 0,1 N - 1,0 N SSt SSt 2012-06-26 3.1

SSt

SSt

2014-06-05

3.7

WE-CBF SMD EMI Suppression Ferrite Bead

Order - No 742792096

Size: 0805

COMPLIANT ROHS&REACH WÜRTH ELEKTRONIK SIZE

Projection




Datasheet of 742792096 - WE-CBF SMD EMI SUPP FERRITE BEAD

more than you expect

H Soldering Specifications:



H1: Classification Reflow Profile for SMT components:



H2: Classification Reflow Profiles

Profile Feature	Pb-Free Assembly	
Preheat - Temperature Min (T _{smin}) - Temperature Max (T _{smax}) - Time (t _s) from (T _{smin} to T _{smax})	150°C 200°C 60-120 seconds	
Ramp-up rate (T _L to T _P)	3°C/ second max.	
Liquidous temperature (T_L) Time (t_L) maintained above T_L	217°C 60-150 seconds	
Peak package body temperature (Tp)	See Table H3	
Time within 5°C of actual peak temperature (tp)	20-30 seconds	
Ramp-down rate (T _P to T _L)	6°C/ second max.	
Time 25°C to peak temperature	8 minutes max.	

refer to IPC/JEDEC J-STD-020D

H3: Package Classification Reflow Temperature

	Package Thickness	Volume mm³ <350	Volume mm ³ 350 - 2000	Volume mm³ >2000
PB-Free Assembly	< 1.6 mm	260°C	260°C	260°C
PB-Free Assembly	1.6 - 2.5 mm	260°C	250°C	245°C
PB-Free Assembly	≥ 2.5 mm	250°C	245°C	245°C

refer to IPC/JEDEC J-STD-020D

					Projection		DESCRIPTION				
	3.7	2014-06-05	SSt	SSt							
	3.6	2013-12-18	SSt	SSt	9		WE-CBF SMD E	MI Suppression Ferrite	,		
	3.5	2013-04-17	SSt	SSt	Würth Elektronik eiSos Gmbl	H & Co. KG	Bead				
	3.4	2012-11-28	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1		Dodu				
	3.3	2012-10-23	SSt	SMu	74638 Waldenburg		Order No.	COMPLIANT	SIZE		
	3.2	2012-09-26	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0			ROHS&REACH			
	3.1	2012-06-26	SSt	SSt	www.we-online.com eiSos@we-online.com		742792096	TOWN BEEN HOUR	A4		
[REV	DATE	BY	CHECKED	elaus@we-utilite.com		Size: 0805				

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use.

Notework With Elektronik elSos Orifish & Co KS products are neither designed or intended for use in a reas such as military, averageae, aution, uncleased or injury, averageae, aution, uncleased or information and an electronic information network etc. With Elektronik elSos Gridth & Co KS must be informed about the intent of such usage before the reference in a control, a substance in the safety of a substance in the safety of a substance in the safety of a legislation and product in the safety of a substance in the safety of a legislation and in the safety of a substance in the s



Datasheet of 742792096 - WE-CBF SMD EMI SUPP FERRITE BEAD

more than you expect

I Cautions and Warnings:

The following conditions apply to all goods within the product series of WE-CBF of Würth Elektronik eiSos GmbH & Co. KG:

All recommendations according to the general technical specifications of the data sheet have to be complied with.

The usage and operation of the product within ambient conditions, which probably alloy or harm the component surface, has to be avoided.

If the product is potted in customer applications, the potting material might shrink during and after hardening. The product is exposed to the pressure of the potting material with the effect that the ferrite body and termination is possibly damaged by this pressure and so the electrical as well as the mechanical characteristics are endangered to be affected. After the potting material is cured, the ferrite body and termination of the product have to be checked if any reduced electrical or mechanical functions or destructions have occurred.

The responsibility for the applicability of customer specific products and use in a particular customer design is always within the authority of the customer. All technical specifications for standard products do also apply to customer specific products

Cleaning agents that are used to clean the customer application might damage or change the characteristics of the component, body, pins or

Direct mechanical impact to the product shall be prevented as the ferrite material of the ferrite body could flake or in the worst case it could

Product specific:Follow all instructions mentioned in the data sheet, especially:

- •The soldering profile has to be complied with according to the technical reflow soldering specification, otherwise this will void the
- · Wave soldering is only allowed after evaluation and approval
- •All products shall be used before the end of the period of 12 months based on th product date code, if not a 100% solderability can't be ensured.
- . Violation of the technical product specifications such as exceeding the nominal rated current will void the warranty

The general and product specific cautions comply with the state of the scientific and technical knowledge and are believed to be accurate and reliable; however, no responsibility is assumed for inaccuracies or incompleteness

				Projection .		DESCRIPTION		
3.7	2014-06-05	SSt	SSt	<u></u>				
3.6	2013-12-18	SSt	SSt	9		WE-CBF SMD E	MI Suppression Ferrite	,
3.5	2013-04-17	SSt	SSt	Würth Elektronik eiSos Gmbl	H & Co. KG	Bead		
3.4	2012-11-28	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1		Deau		
3.3	2012-10-23	SSt	SMu	74638 Waldenburg		Order No.	COMPLIANT	SIZE
3.2	2012-09-26	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0		74070000	ROHS&REACH	O.L.
3.1	2012-06-26	SSt	SSt	www.we-online.com eiSos@we-online.com		742792096	TO ATT ELEKTRONIK	A4
REV	DATE	BY	CHECKED	elous@we-utilite.com		Size: 0805		

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Wilm Elektronic Resides Genified X to XIS grounds are neither designed not intended for use in a reasonable, and a reliability standard in electronic experts, in a partie or intended to read a reliability standard in electronic specifically expected on experts and a reliability standard in electronic specifically governing such use. Moreover Wilm Elektronic Residual post and a reliability standard in electronic specifical post and reliability standard in electronic specifical post and reliability standard in electronic specifically governing such use. Moreover Wilm Elektronic specifical post and reliability standard in electronic specifically governing such use. Wilm Elektronic Residual post and reliability standard in electronic specifical post and reliability specifical post and r





Datasheet of 742792096 - WE-CBF SMD EMI SUPP FERRITE BEAD

more than you expect

J Important Notes:

The following conditions apply to all goods within the product range of Würth Elektronik eiSos GmbH & Co. KG:

1. General Customer Responsibility

Some goods within the product range of Würth Elektronik eiSos GmbH & Co. KG contain statements regarding general suitability for certain application areas. These statements about suitability are based on our knowledge and experience of typical requirements concerning the areas, serve as general guidance and cannot be estimated as binding statements about the suitability for a customer application. The responsibility for the applicability and use in a particular customer design is always solely within the authority of the customer. Due to this fact it is up to the customer to evaluate, where appropriate to investigate and decide whether the device with the specific product characteristics described in the product specification is valid and suitable for the respective customer application or not.

2. Customer Responsibility related to Specific, in particular Safety-Relevant Applications
It has to be clearly pointed out that the possibility of a malfunction of electronic components or failure before the end of the usual lifetime cannot be completely eliminated in the current state of the art, even if the products are operated within the range of the specifications

In certain customer applications requiring a very high level of safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health it must be ensured by most advanced technological aid of suitable design of the customer application that no injury or damage is caused to third parties in the event of malfunction or failure of an electronic component.

Therefore, customer is cautioned to verify that data sheets are current before placing orders. The current data sheets can be downloaded at www.we-online.com.

3. Best Care and Attention

Any product-specific notes, cautions and warnings must be strictly observed. Any disregard will result in the loss of warranty,

4. Customer Support for Product Specifications

Some products within the product range may contain substances which are subject to restrictions in certain jurisdictions in order to serve spe cific technical requirements. Necessary information is available on request. In this case the field sales engineer or the internal sales person in charge should be contacted who will be happy to support in this matter

5. Product R&D

Due to constant product improvement product specifications may change from time to time. As a standard reporting procedure of the Product Change Notification (PCN) according to the JEDEC-Standard inform about minor and major changes. In case of further queries regarding the PCN, the field sales engineer or the internal sales person in charge should be contacted. The basic responsibility of the customer as per Section 1 and 2 remains unaffected



6. Product Life Cycle

Due to technical progress and economical evaluation we also reserve the right to discontinue production and delivery of products. As a standard reporting procedure of the Product Termination Notification (PTN) according to the JEDEC-Standard we will inform at an early stage about inevitable product discontinuance. According to this we cannot guarantee that all products within our product range will always be available. Therefore it needs to be verified with the field sales engineer or the internal sales person in charge about the current product availability expectancy before or when the product for application design-in disposal is considered.

The approach named above does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.

7. Property Rights
All the rights for contractual products produced by Würth Elektronik eiSos GmbH & Co. KG on the basis of ideas, development contracts as well as models or templates that are subject to copyright, patent or commercial protection supplied to the customer will remain with Würth Elektronik eiSos GmbH & Co. KG.

Würth Elektronik eiSos GmbH & Co. KG does not warrant or represent that any license, either expressed or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, application, or process in which Würth Elektronik eiSos GmbH & Co. KG components or services are used.

8. General Terms and Conditions

Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms and Conditions of Würth Elektronik eiSos Group", last version available at www.we-online.com.

				Projection .		DESCRIPTION					
3.7	2014-06-05	SSt	SSt								
3.6	2013-12-18	SSt	SSt	9		WE-CBF SMD E	MI Suppression Ferrite				
3.5	2013-04-17	SSt	SSt	Würth Elektronik eiSos Gmbi	H & Co. KG	Bead					
3.4	2012-11-28	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1		Deau					
3.3	2012-10-23	SSt	SMu	74638 Waldenburg		Order No.	COMPLIANT	SIZE			
3.2	2012-09-26	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0		74070000	ROHS&REACH WÜRTH ELEKTRONIK	OLL			
3.1	2012-06-26	SSt	SSt	www.we-online.com eiSos@we-online.com		742792096		A4			
REV	DATE	BY	CHECKED	CIOOSONO OIIIIIC.COIII		Size: 0805					

ment has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially equived or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use.

roll is 65cs RiPH & Co. KG products are neither designed nor intended for use in a nease such as military, acrespace, eviation, nuclear control, submarine, transportation injuried, place to reliably evaluation checks for stelly must be performed on every electronic component which is useful electrical circulars batter equipment of performance.

addition, sufficient feather injuried injury evaluation developed for usage in personal injury or death, unless the parties have executed in agreement specifically governing such uses.

addition, addition and application of performance or every electronic component which is useful electrical circulars batter equipment or performance.

addition, sufficient feather injury and addition of performance or every electronic component which is useful electrical circulars batter equipment or performance.

addition, sufficient reliability evaluation checks for stelly must be performed on every electronic component which is useful electrical circulars batter equipment and a reliability transformation or performance.