

Excellent Integrated System Limited

Stocking Distributor



Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10107271-001C-TRLF](#)




For any questions, you can email us directly:

sales@integrated-circuit.com


PRODUCT NO.
SEE TABLE



SECTION Y - Y



SECTION X - X



PART WITH PICK-UP CAP, SEE NOTE (4)

spec ref	-	dr	GL L00	2009-09-23	projection		MM	size	A3	scale	3:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	GL L00	2009-09-23				ecn no	SII-0019	rel level	-
ISO 406		chr	GL L00	2011-09-01							
ISO 1101		appr	JOEY NG	2011-09-01	product family	SAS					
surface	linear	0.X	±		SAS RECEPTACLE VERTICAL SMT TYPE ASSY		drg no	10107271		rev	B
ISO 1302	0.XX	±0.20									
	0.XXX	±									
	angular	0°	±2°	www.fci.com	cat. no.	-	CUSTOMER	sheet 1 of 2			

— NOTE 12 —————▶

Technical drawing of a mechanical part, likely a shaft or axle, showing dimensions and tolerances. The drawing includes a side view and a cross-sectional view.

Dimensions and Tolerances:

- Overall length: 43.75
- Segment lengths: 37.75, 31.75, 17.78, 7.62, 1.905, 1.27, 2.6, 0.60, 2.35, 1.67, 0.56, 0.775, 0.80, 4.80
- Diameters: $\varnothing 1.30^{+0.05}_0$, $\varnothing 0.90^{+0.05}_0$, $\varnothing 0.06$, $\varnothing 0.06$
- Tolerances: $+0.1/-0.1$, $+0.05/-0.05$, $+0.10/-0.10$, ± 0.03

Labels: P15, P1, S7, S1, S14, S8, D, (2X), (7X), (29X)

HIGHEST T LEADS)

0.05 MAX

0.10 MAX

G

SITTING PLANE (2X)

Revised Date : REV C : 2009-04-09