

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)

[65980-035LF](#)




For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

PRODUCT NO  
SEE TABLE

NOTES:

- ① MOLDING MATERIAL: MODIFIED POLYPHENYENE ETHER, FLAME RETARDANT PER UL 94V-0, COLOR: BLACK.
- ② PIN LENGTH TO BE .210/5.33 MIN. RECOMMENDED PIN LENGTH IS .225 ±.015/5.71 ±0.38.
- ③ TO REMOVE TERMINALS USE HAND TOOL HT-80.
- ④ TERMINAL MUST BE CRIMPED PROPERLY FOR SATISFACTORY LATCHING. SEE TA-75 FOR CRIMPING INSTRUCTIONS. PRODUCT SPECIFICATION: BUS-12-067.
- ⑤ THIS HOUSING IS INTENDED FOR USE WITH MINI PV™ TERMINAL WITH 22-36 GAUGE WIRE.
- ⑥ MARK LETTERS .060/1.52 HIGH ON END POSITIONS ONLY IN WHITE AS SHOWN. FIRST POS. MARKED 1, "N" DESIGNATES TOTAL NO. OF POS.
- ⑦ KS NO. TO BE MARKED SAME STYLE AS NOTE 6, CENTERED BETWEEN ENDS OF PART AS SHOWN. MARK WEEK AND YEAR OF MANUFACTURING AS SHOWN, SAME STYLE AS NOTE 6.
- ⑧ FOR DASH NO. -036, -035, -034, & -033 MARK PER FIGURE 1, 2, 3, & 4 RESPECTIVELY.
- ⑨ PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ⑩ THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESS.



mat'l code		surface		tolerance	projection	product family	
SEE NOTE 1						PV HOUSINGS	
ltr	ecn no	dr	date	tolerances unless otherwise specified		title	
G	v51208	GAH	1995-12-19	angles	xx+01/xx+3	MINI LATCH HOUSING	
H	v90972	CGC	1999-05-26	linear	xxx+005/xxx+8	SINGLE ROW .100 [2.54] CC	
J	v03-1359	VS	2004-03-10	0°±2'	xxxx+0020/xxx+05	scale	3:1
K	v05-0715	HTB	2005-07-29	dr	G. HULL	1995-12-19	
L	v06-0420	HTB	2006-05-05	engr	T. HANNA	1995-12-19	
M	v07-0511	HTB	2007-08-07	chr	T. BREWBAKER	1995-12-19	
				appd	T. HANNA	1995-12-19	
sheet	revision	M	M				
index	sheet	1	2				

PRODUCT NO	NO.OF POS.	DIM A MAX	DIM B	CUSTOMER PART NO.
65980-001LF	36	3.600/91.57	3.500/88.90	KS 21302 L14
65980-002LF	35	3.500/88.90	3.400/86.36	N/A
65980-003LF	34	3.400/86.36	3.300/83.82	N/A
65980-004LF	33	3.300/83.82	3.200/81.28	N/A
65980-005LF	32	3.200/81.28	3.100/78.74	N/A
65980-006LF	31	3.100/78.74	3.000/76.20	N/A
65980-007LF	30	3.000/76.20	2.900/73.66	N/A
65980-008LF	29	2.900/73.66	2.800/71.12	N/A
65980-009LF	28	2.800/71.12	2.700/68.58	N/A
65980-010LF	27	2.700/68.58	2.600/66.04	N/A
65980-011LF	26	2.600/66.04	2.500/63.50	N/A
65980-012LF	25	2.500/63.50	2.400/60.96	N/A
65980-013LF	24	2.400/60.96	2.300/58.42	N/A
65980-014LF	23	2.300/58.24	2.200/55.88	N/A
65980-015LF	22	2.200/55.88	2.100/53.34	N/A
65980-016LF	21	2.100/53.34	2.000/50.80	N/A
65980-017LF	20	2.000/50.80	1.900/48.26	N/A
65980-018LF	19	1.900/48.26	1.800/45.72	N/A
65980-019LF	18	1.800/45.72	1.700/43.18	N/A
65980-020LF	17	1.700/43.18	1.600/40.64	N/A
65980-021LF	16	1.600/40.64	1.500/38.10	N/A
65980-022LF	15	1.500/38.10	1.400/35.56	N/A
65980-023LF	14	1.400/35.56	1.300/33.02	KS 21302 L3
65980-024LF	13	1.300/33.02	1.200/30.48	N/A
65980-025LF	12	1.200/30.48	1.100/27.94	N/A
65980-026LF	11	1.100/27.94	1.000/25.40	N/A
65980-027LF	10	1.000/25.40	.900/22.86	KS 21302 L2
65980-028LF	9	.900/22.86	.800/20.32	N/A
65980-029LF	8	.800/20.32	.700/17.78	N/A
65980-030LF	7	.700/17.78	.600/15.24	N/A
65980-031LF	6	.600/15.24	.500/12.70	N/A
65980-032LF	5	.500/12.70	.400/10.16	N/A
65980-033LF	4	.400/10.16	.300/7.62	KS 21302 L25
65980-034LF	3	.300/7.62	.200/5.08	KS 21302 L24
65980-035LF	2	.200/5.08	.100/2.54	KS 21302 L23
65980-036LF	1	.100/2.54		N/A



FIG. 1



FIG. 2




FIG. 3




FIG. 4

mat'l code	SEE NOTE 1	surface	tolerance	projection	product family
ltr	ecn no	dr	date	INCH/MM	PV HOUSINGS
M				scale 1:1	MINI LATCH HOUSING
					SINGLE ROW .100 [2.54] CC
					dwg no 65980 sheet 2 of 2 size A3
					type Product Customer Drawing
sheet index	revision sheet				

FCI  
FCconnect.com  
Copyright FCI