

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0050362426](#)









For any questions, you can email us directly:

sales@integrated-circuit.com


13 12 11 10 9 8 7 6 5 4 3 2 1



CIRCUIT SIZE	DIM. 'A'	DIM. 'B'
6	.54 (13.8)	.33 (8.4)
8	.71 (18.0)	.50 (12.6)
10	.87 (22.2)	.66 (16.8)
12	1.04 (26.4)	.83 (21.0)
14	1.20 (30.6)	.99 (25.2)
16	1.37 (34.8)	1.16 (29.4)
18	1.54 (39.0)	1.32 (33.6)
20	1.70 (43.2)	1.49 (37.8)
22	1.87 (47.4)	1.65 (42.0)
24	2.03 (51.6)	1.82 (46.2)



- NOTES:**
- MATERIAL: HOUSING: *130* = GLASS FILLED LCP, UL94V-0, COLOR - BLACK; TERMINAL: BRASS ALLOY
 - FINISH (PLATING): *MS* = .000100(0.00254) MIN. MATTE TIN OVER .000050(0.00127) MIN. NICKEL
 - PRODUCT SPECIFICATION: SEE CHARTS
 - PACKAGING: *T* = TRAY PACKED PER PK-5569-003
 - PART MATES WITH MINI-FIT JR. RECEPTACLE SERIES 5557.
 - MOUNTING OPTIONS: 7 = PRESS FIT PEG
 - DISCOLORATION IN THE BANDOLIER CARRIER AREA OF THE PIN IS INHERENT TO THE PLATING PROCESS AND IS DUE TO THE MASKING EFFECT OF THE CARRIER. THIS DISCOLORATION IS IN A NON-FUNCTIONAL AREA OF THE PIN AND WILL NOT AFFECT THE PERFORMANCE OF THE HEADER ASSEMBLY.
 - PART CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 - CONNECTORS ARE NOT TO BE MATED AND UNMATED WHILE CIRCUITS ARE LIVE.
 - PARTS ARE NOT DESIGNED FOR CURRENT SHARING.
 - FORMING MARKS ON PINS ARE ACCEPTABLE.



CHG 2 CKT TO TOOLED EC NO: UCP2015-3729 DRAWING: 2015/04/01 CHKD: J.BELL APPROVED: 2015/04/25 A3	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES ± .015 3 PLACES ± .015 2 PLACES ± .015 1 PLACE ± .015 0 PLACE ± .015	mm INCH ± .015 ± .015 ± .015 ± .015 ± .015 ± .015 ± .015 ± .015	DRAWN BY J.JAGU/LALR	DATE 2009/07/27	CHECKED BY J.BELL	DATE 2009/07/27	TITLE MINI-FIT JR RIGHT ANGLE HEADER ASSEMBLIES WITH MTG. PEGS (LCP)
		APPROVED BY F.SMITH		DATE 2009/07/31		molex		
		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-5569-NA2*-130		SHEET NO. 1 OF 2		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0050362426 - MINIFIT JR RA HDR ASSY LCP 16W/P

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

TOOLED	PART NO.	ENG. NO.	CKT. SIZE	MOUNTING OPTION	PLATING (SEE NOTE 2)	HOUSING MATERIAL (SEE NOTE 1)	PACKAGING	PRODUCT SPECIFICATION
YES	50-36-2457	5569-02A7MS-130-T	2	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0	TRAY PACKAGED PER PK-5569-003	PS-5556-004
NO	50-36-2459	5569-04A7MS-130-T	4	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
YES	50-36-2462	5569-06A7MS-130-T	6	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
NO	50-36-2464	5569-08A7MS-130-T	8	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2466	5569-10A7MS-130-T	10	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
YES	50-36-2296	5569-12A7MS-130-T	12	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2428	5569-14A7MS-130-T	14	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
NO	50-36-2426	5569-16A7MS-130-T	16	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2468	5569-18A7MS-130-T	18	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2471	5569-20A7MS-130-T	20	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2473	5569-22A7MS-130-T	22	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		
	50-36-2475	5569-24A7MS-130-T	24	PRESS FIT PEGS	MATTE TIN/NICKEL	94V-0		

SEE SHEET 1 EC NO: UCF2015-3729 DRAWING NO: 2013/04/01 CHK'D: J.BELL APPROV: S.MITH 2013/04/23	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± .015	± .015	DRAWN BY JJAGUIALR	DATE 2009/07/27	TITLE MINI-FIT JR RIGHT ANGLE HEADER ASSEMBLIES WITH MTG. PEGS (LCP)			
		3 PLACES ± .015	± .015	CHECKED BY JBELL	DATE 2009/07/27				
		2 PLACES ± .015	± .015	APPROVED BY FSMITH		DATE 2009/07/31	MATERIAL NO. SEE CHART		
1 PLACE ± .015	± .015	ANGULAR ± 1/2°		DOCUMENT NO. SD-5569-NA2*-130	SHEET NO. 2 OF 2				
0 PLACE ± .015	± .015	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					