

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[151-00016](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

151-00016



**Article Number:** 151-00016

**Standoff Stud Mnt Tape Clip Length 2.17" Weld Stud Mnt .2" PA66HIRHS Black 500/Pkg**



Download drawing



Download spec sheet

## Base Data

**Local Order Number** 151-00016

**Type** BC30

**Color** Black (BK)

**Features and Benefits** Tape clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties. The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Standoff stud mount tape clips are easily inserted on a 5mm stud and secure the bundle away from the mounting hole.

**Short Description** Standoff Stud Mnt Tape Clip Length 2.17" Weld Stud Mnt .2" PA66HIRHS Black 500/Pkg

## Product Dimensions

**Length L (Imperial)** 2.2 "

**Length L (Metric)** 55.0 mm

**Fixation Method** Weld Stud Fixing

**Width W (Imperial)** 1.2 "

**Width W (Metric)** 30.0 mm

**Height H (Imperial)** 0.47 "

**Height H (Metric)** 12 mm

**Diameter D (imperial)** 0.2 "

**Diameter D (metric)** 5 mm

**Stud Size (Imperial)** 0.2 "

**Stud Size (Metric)** 5.0 mm

## Logistics and Packaging

**Quantity Per** bag

**Package Quantity (Metric)** 500 Pieces

**Carton Quantity** 10000 Pieces

**Weight (Metric)** 0.96 kg

## Material and Specifications

**Material** Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)

**Material Shortcut** PA66HIRHS

**Flammability** UL94 HB



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 151-00016 - STANDOFF STUD MNT

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**Operating Temperature** -40°F to +221°F (-40°C to +105°C)

**ROHS Compliant** Yes