

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[151-00367](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

151-00367



Article Number: 151-00367

Automatic Harness Clips - Non-Connectable Push Mount Max Bun Dia .79" Black 900 /Pkg



Download drawing



Download spec sheet

Base Data

Local Order Number 151-00367

Type AHC2AH

Color Black (BK)

Features and Benefits These clips offer a simple and secure method of attaching cables to panels. They can be attached to the panel prior to installing the cables. Simply pushing the cable into place closes the clip and activates the automatic locking feature.

Short Description Automatic Harness Clips - Non-Connectable Push Mount Max Bun Dia .79" Black 900 /Pkg

Product Dimensions

Length L (Imperial) 1.16 "

Length L (Metric) 29.5 mm

Length L2 (Imperial) 0.28 "

Length L2 (Metric) 7.0 mm

Width W (Imperial) 0.39 "

Width W (Metric) 10.0 mm

Bundle Diameter Min. (Imperial) 0.43 "

Bundle Diameter Min. (Metric) 11.0 mm

Bundle Diameter Max. (Imperial) 0.79 "

Bundle Diameter Max. (Metric) 20.0 mm

Disc Diameter (Imperial) 0.79 "

Disc Diameter (Metric) 20.0 mm

Panel Thickness Max. (Imperial) 0.08 "

Panel Thickness Max. (Metric) 3.00 mm

Panel Thickness Min. (Imperial) 0.02 "

Panel Thickness Min. (Metric) 0.50 mm

Mounting Hole Diameter D (Metric) 6.2 - 6.7 mm

Mounting Hole Diameter D Min. (Imperial) 0.244 "

Mounting Hole Diameter D Max.0.26 "
(Imperial)

Mounting Hole Diameter D Max.6.7 mm
(Metric)6.2 mm

Mounting Hole Diameter D Min. (Metric)

Logistics and Packaging

Quantity Per carton

Package Quantity (Metric) 900 Pieces

Carton Quantity 900

Weight (Metric) 0.5 kg

Material and Specifications

Material Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)

Material Shortcut PA66HIRHS

Flammability UL94 HB

Operating Temperature -40°F to +221°F (-40°C to +105°C)

ROHS Compliant Yes