



Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[170-03049](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

170-03049



Article Number: 170-03049

Polyamide (PA66) Monofilament Expandable Braided Sleeveing, 1.25" Dia., Black, 250.0 ft/Bulk Reel



Download drawing



Download spec sheet

Base Data

Local Order Number 170-03049

Type BSPA661140B

Color Black (BK)

Features and Benefits

- Nylon monofilament construction weave offers a tight, 12 mil braid that provides full coverage but will not rot or retain moisture.
- Material performs well in wet applications and where abiding substrate has a smooth surface.

Product Description A pliable yet durable nylon sleeve that protects against cuts, abrasion and excessive wear caused by repetitive motion.

Short Description Polyamide (PA66) Monofilament Expandable Braided Sleeveing, 1.25" Dia., Black, 250.0 ft/Bulk Reel

Product Dimensions

Length L (Imperial) 250.0 ft

Length L (Metric) 76.2 m

Reel Length (imperial) 250.0 ft

Bundle Diameter Min. (Imperial) 0.75 "

Bundle Diameter Min. (Metric) 19.1 mm

Bundle Diameter Max. (Imperial) 1.5 "

Bundle Diameter Max. (Metric) 38.1 mm

Nominal Diameter (Imperial) 1-1/4 "

Nominal Diameter (Metric) 31.8 mm

Logistics and Packaging

Quantity Per reel

Package Quantity 250 ft

Weight (imperial) 4.5 lbs

Weight (Metric) 2.04 kg

Material and Specifications

Material Polyamide 6.6 (PA66)

Material Shortcut PA66

Flammability non flammable

Operating Temperature -49°F to +302°F (-45°C to +150°C)

ROHS Compliant Yes



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of 170-03049 - 1-1/4" POLY BRAIDED SLEEVING

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com
