

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[170-03145](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

170-03145



Article Number: 170-03145

Flame Retardant Expandable Braided Sleeving, 1.25" ID, Black, 75.0 ft/Bulk Reel



Download drawing



Download spec sheet

## Base Data

Local Order Number 170-03145

Type BSSWFR1140B

Color Black (BK)

- Features and Benefits**
- Split wrap design installs quickly, saving assembly time and future accessibility without disassembly.
  - Unique construction retains shape and rigidity throughout unrolling.
  - Easy open design allows quick assembly, future access, and ability to apply protective sleeving post assembly or post installation situations.

**Product Description** A lateral split, semi-rigid and flame retardant braided sleeving configuration used when ease of installation and repeat access to wire bundle is required. The lateral split allows the sleeving to open and accommodate a variety of bundling requirements. The 25% edge overlap rolls back over connectors and splices without exposing the bundled wires.

**Short Description** Flame Retardant Expandable Braided Sleeving, 1.25" ID, Black, 75.0 ft/Bulk Reel

## Product Dimensions

Length L (Imperial) 75.0 ft

Length L (Metric) 22.9 m

Reel Length (imperial) 75.0 ft

Bundle Diameter Max. (Imperial) 1.25 "

Bundle Diameter Max. (Metric) 31.8 mm

Nominal Diameter (Imperial) 1-1/4 "

Nominal Diameter (Metric) 31.8 mm

## Logistics and Packaging

Quantity Per reel

Package Quantity 75 ft

Package Quantity (Metric) 75.0 ft

Weight (Metric) 0.82 kg

Weight (imperial) 1.8 lbs

## Material and Specifications

Material Polyester (PET)

Material Shortcut PET

Flammability FAR 25  
VW-1

Operating Temperature -94°F to +257°F (-70°C to +125°C)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 170-03145 - 1.25" FR SPLITWRAP BRDD SLVNG

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**UL Recognized (US)** Yes

**UL Recognized (US and Canada)** Yes