

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

HellermannTyton 181-94009

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



## HellermannTyton

## 181-94009

181-94009		
Ar	Article Number: 181-94009	
Wi	ring Duct Cover for 4" Duct, 6 ft Long, PVC, Gray, 120ft/Carton	
	# RoHS	
Download drawing	spec sheet	
Dear Defe		
Base Data		
Local Order Number		
Туре		
	Gray (GY)	
Features and Benefits	<ul> <li>A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.</li> </ul>	
	Cover is flush with the side of the duct for increased wire capacity and allows for tight, side by side duct placeme     Cover an arrived with a page cliniting which insures the cover arrayin in place during whether yet they again	
	<ul> <li>Covers are provided with a non-slip lining, which insures the covers remain in place during vibration, yet they easil snap on and off. (Covers to be purchased separately)</li> </ul>	
Product Description	HellermannTyton's Pro-Duct wiring duct covers are sold separately and interchangeable among the 3 styles of duct	
	(solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colc of white, gray and black. Wiring duct covers are available in 6 foot lengths.	
Short Description		
Product Dimensions		
Length L (Imperial)	6.0 ft	
Length L (Metric)	1.83 m	
Width W (Imperial)	4.0 "	
Width W (Metric)	101.6 mm	
ogistics and Packaging		
Quantity Per	carton	
Package Quantity		
Package Quantity (Metric)		
Carton Quantity		
current quality		
Material and Specifications		

Material	Polyvinylchloride (PVC)
Material Shortcut	PVC
Flammability	self-extinguishing
Operating Temperature	+122°F (+50°C)
ROHS Compliant	Yes
Certification/Specification	UL CSA
UL Listed (US and Canada)	No
UI Recognized (US and Canada)	No



UL Recognized (US) Yes

© HellermannTyton 2015