

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[596-00419](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

596-00419



Article Number: 596-00419

Insert for 596-00192, 1.92" X .59", Plastic, White, 180/pkg



Download spec sheet

Base Data

Local Order Number 596-00419

Type WPL15X49

Color White (WH)

- Features and Benefits**
- The legend base inserts are made of high performance polycarbonate.
 - The inserts can be marked with a standard label or if a plotter is available, can be printed with ink jet or laser etching.
 - The inserts snap easily into the plastic legend bases for a high contrast and permanent identifier.

Product Description Plastic Nameplate labels are less costly than plastic or metal engraved plates, saving material costs. Plastic Nameplate labels are made of a UL94VO rated polycarbonate that can be mounted mechanically or using an adhesive backing. HellermannTyton thermal transfer or laser labels can be printed and applied to the inserts and covered with a clear plastic cover to protect printed text.

Short Description Insert for 596-00192, 1.92" X .59", Plastic, White, 180/pkg

Product Dimensions

Self adhesive (Yes/No) Yes

Width W (Imperial) 1.92 "

Width W (Metric) 49 mm

Height H (Imperial) 0.59 "

Height H (Metric) 15 mm

Horizontal Repeat HR (imperial) 1.92 "

Horizontal Repeat HR (metric) 49 mm

Print Method Thermal Transfer

Vertical Repeat VR (imperial) 0.59 "

Vertical Repeat VR (metric) 15 mm

Logistics and Packaging

Quantity Per pack

Package Quantity 180

Package Quantity (Metric) 180

Labels per Column 3

Labels per Row 3

Material and Specifications

Material Polycarbonate (PC)



Adhesive Shortcut Acrylic

Flammability UL94 V0

Operating Temperature -22°F to +266°F (-30°C to +130°C)

ROHS Compliant Yes