

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[FO1REF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

FO1REF



Article Number: 590-00172

Fiberclean Refill, .75' X 1.50", 10' Of Non-Woven Cloth, White, 1/EA



Download spec sheet

Base Data

Local Order Number FO1REF

Type FO

Color Yellow (YE)

- Features and Benefits**
- Compact to easily fit in pants or shirt pockets.
 - Dispenser can be reloaded over and over, making it cost effective to use.
 - Dispenser edge allows easy removal of label liner.
 - Dispenser protects labels from dirt and moisture before use, extending the life and quality of the labels.

Product Description HellermannTyton's Fiberclean is a fiber optic connector cleaning dispenser system, which is both economical and easy to use. This unique, handheld connector cleaner assures dirt and lint free field connections for the most optimal signal transmission. The Fiberclean system replaces the use of gasses, alcohol swabs, napkins, and wipes.

Mounting method Identification ETIM Pasting / Stick

Technical Description HellermannTyton's Fiberclean is a fiber optic connector cleaning dispenser system, which is both economical and easy to use. This unique, handheld connector cleaner assures dirt and lint free field connections for the most optimal signal transmission. The Fiberclean system replaces the use of gasses, alcohol swabs, napkins, and wipes.

Short Description Fiberclean Refill, .75' X 1.50", 10' Of Non-Woven Cloth, White, 1/EA

Product Dimensions

Length L (Imperial) 1.5 "

Length L (Metric) 38.1 mm

Fixation Method Pasting / Stick

Self adhesive (Yes/No) Yes

Variant Roller form

Width W (Imperial) 0.75 "

Width W (Metric) 19.05 mm

Height H (Imperial) 0.75 "

Height H (Metric) 19.05 mm

Logistics and Packaging

Quantity Per box

Package Quantity 1

Package Quantity (Metric) 1

Material and Specifications

Material Plastic

Material Shortcut Plastic



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of FO1REF - ULTRA-WHITE FILM REFILLS

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Operating Temperature -150°F to +149°F (-101°C to +65°C)

ROHS Compliant Yes