

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[PP110C648](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

PP110C648



Article Number: 853-50003

Category 6 Universal 48 Port Patch Panel, 2U, Black, 1/box



Download drawing



Download spec sheet

Base Data

Local Order Number PP110C648

Type PP110C648

Color Black (BK)

Features and Benefits

- Write-on labels provided for easy identification.
- Clear plastic channel protects PCB and allows easy viewing of wiring label.
- Front face provides an attractive, flush appearance.

Product Description HellermannTyton's Category 6 Universal patch panels are pre-configured in 12, 24 and 48 port versions to meet the needs of nearly all customer applications. The panels are offered with increments of 6 port modules – which can be replaced if damaged during installation.

Technical Description Available in standard 1U 24 ports or 2U 48 ports, the Universal panel range offers quality, performance and value. Tested to exceed all ISO/IEC 11801 and ANSI/TIA/EIA 568-C.2 Category 6 performance standards, the Universal patch panel offers backward compatibility with Category 5e, Category 5 and voice products. The Universal panel is supplied with a clear plastic channel which protects the PCB and allows easy viewing of wiring label.

Short Description Category 6 Universal 48 Port Patch Panel, 2U, Black, 1/box

Product Dimensions

Height in Units 2U

Performance Category Category 6 (Class E)

Port count 48

Width W (Imperial) 19.0 "

Wiring 568A

Width W (Metric) 483.0 mm

Height H (Imperial) 3.6 "

Height H (Metric) 88.0 mm

Depth D (metric) 29.0 mm

Depth D (imperial) 1.14 "

Logistics and Packaging

Quantity Per box

Package Quantity 1

Package Quantity (Metric) 1

Carton Quantity 1

Material and Specifications

