

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[SNP38GHS0H4](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## SNP38GHS0H4



Article Number: 190-00163

Snapper Hose Clamps, 1.614"/1.894" Min/Max Diameter, PA66GF13%, Black, 500/pkg



Download drawing



Download spec sheet

### Base Data

Local Order Number SNP38GHS0H4

Type SNP38

Color Black (BK)

**Features and Benefits**

- Designed for quick, ratcheted installation and can be released and reused.
- Heat stabilized material is suitable for high temperature applications.

**Product Description** HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.

**Short Description** Snapper Hose Clamps, 1.614"/1.894" Min/Max Diameter, PA66GF13%, Black, 500/pkg

### Product Dimensions

Fixation Method Plug-in mounting

Variant Closed

Width W2 (Imperial) 0.287 "

Width W2 (Metric) 7.29 mm

Diameter Min. (Imperial) 1.614 "

Diameter Min. (Metric) 41.0 mm

Diameter Max. (Imperial) 1.894 "

Diameter Max. (Metric) 48.11 mm

Wall Thickness WT (Imperial) 0.069 "

Wall Thickness WT (Metric) 1.717 mm

### Logistics and Packaging

Quantity Per bag

Package Quantity (Metric) 500

Carton Quantity 1000

### Material and Specifications

Material Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)

Material Shortcut PA66GF13

Flammability UL94 HB

Operating Temperature -40°F to +221°F (-40°C to +105°C)

ROHS Compliant Yes



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of SNP38GHS0H4 - SNPPR HOSE CLAMP MAX 1.903"

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---