

Excellent Integrated System Limited







Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0395259002](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



SPECIFICATIONS:

- Material:
 - Body: PA46, UL 94V-0
 - Pin: Brass
 - Threaded insert: Brass
- Electrical rating: 300V, 15A
- Wire strip length: N/A
- Operating temperature: -40 to +105°C
- Max. insert retention force: 11.02 lbf (49.03N) (B)
- Insulation resistance: DC 500V, 500M
- Dielectric withstand: AC 2500V for 1 minute
- Breakdown voltage: 4000V
- Max soldering temp: 260°C (500°F) for 5 seconds (B)
- A = (B + 15.0mm)
- B = (N - 1) x P
- C = (B + 10mm)
- P (PITCH) = 5.0mm (.197").
- N = Number of positions available 2 through 24
- Dims shown are for reference only (B)

ADD NOT RETENTION NOTE MAX. SOLDER PTH LAZY DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY LROTHAUS	DATE 12/6/05	TITLE 5.0MM, EURO HEADER, VERTICAL, HI-TEMP MOUNTING	SHEET NO. 1 OF 2	
			4 PLACES	± .0015	CHECKED BY C. YORK	DATE 01/06/06				
			3 PLACES	± .0038	APPROVED BY	DATE				
			2 PLACES	± .013	molex MOLEX INCORPORATED					
			1 PLACE	± .03	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39525-001	
			ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.			
					SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEE SHEET 1 EC NO: PG2015-0765 DRINKSTONE CHYKOB ARDEN APPRO: JMDRHY 2014/10/27 2014/10/31 2014/11/06 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		4 PLACES ± 0.038 3 PLACES ± 0.038 2 PLACES ± 0.13 1 PLACE ± 0.3 0 PLACE ± 0.3	mm INCH INCH INCH INCH	DRAWN BY LROTHAUS	DATE 12/16/05	5.0MM, EURO HEADER, VERTICAL, HI-TEMP MOUNTING 		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART	CHECKED BY C. YORK	DATE 01/06/06			
			DOCUMENT NO. SD-39525-001	APPROVED BY DATE				

Description	Circuit size	Material Numbers												Dimensional Information									
		Black						Green															
		100% Tin			30 u" Gold			100% Tin			30 u" Gold			mm			Din B			Din C			
		Printing Options			Printing Options			Printing Options			Printing Options			mm			inch			mm			inch
None	10AV	11AV	None	10AV	11AV	None	10AV	11AV	None	10AV	11AV	None	10AV	11AV	mm	inch	mm	inch	mm	inch	mm	inch	
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	2	395254002	395254302	395254402	395254502	395254602	395254702	395259002	395259302	395259402	395259502	395259602	395259802	395259902	20.00	0.787	5.00	0.197	15.00	0.591			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	3	395254003	395254303	395254403	395254503	395254603	395254703	395259003	395259303	395259403	395259503	395259603	395259803	395259903	25.00	0.984	10.00	0.394	20.00	0.787			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	4	395254004	395254304	395254404	395254504	395254604	395254704	395259004	395259304	395259404	395259504	395259604	395259804	395259904	30.00	1.181	15.00	0.591	25.00	0.984			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	5	395254005	395254305	395254405	395254505	395254605	395254705	395259005	395259305	395259405	395259505	395259605	395259805	395259905	35.00	1.378	20.00	0.787	30.00	1.181			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	6	395254006	395254306	395254406	395254506	395254606	395254706	395259006	395259306	395259406	395259506	395259606	395259806	395259906	40.00	1.575	25.00	0.984	35.00	1.378			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	7	395254007	395254307	395254407	395254507	395254607	395254707	395259007	395259307	395259407	395259507	395259607	395259807	395259907	45.00	1.772	30.00	1.181	40.00	1.575			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	8	395254008	395254308	395254408	395254508	395254608	395254708	395259008	395259308	395259408	395259508	395259608	395259808	395259908	50.00	1.969	35.00	1.378	45.00	1.772			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	9	395254009	395254309	395254409	395254509	395254609	395254709	395259009	395259309	395259409	395259509	395259609	395259809	395259909	55.00	2.165	40.00	1.575	50.00	1.969			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	10	395254010	395254310	395254410	395254510	395254610	395254710	395259010	395259310	395259410	395259510	395259610	395259810	395259910	60.00	2.362	45.00	1.772	55.00	2.165			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	11	395254011	395254311	395254411	395254511	395254611	395254711	395259011	395259311	395259411	395259511	395259611	395259811	395259911	65.00	2.559	50.00	1.969	60.00	2.362			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	12	395254012	395254312	395254412	395254512	395254612	395254712	395259012	395259312	395259412	395259512	395259612	395259812	395259912	70.00	2.756	55.00	2.165	65.00	2.559			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	13	395254013	395254313	395254413	395254513	395254613	395254713	395259013	395259313	395259413	395259513	395259613	395259813	395259913	75.00	2.953	60.00	2.362	70.00	2.756			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	14	395254014	395254314	395254414	395254514	395254614	395254714	395259014	395259314	395259414	395259514	395259614	395259814	395259914	80.00	3.150	65.00	2.559	75.00	2.953			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	15	395254015	395254315	395254415	395254515	395254615	395254715	395259015	395259315	395259415	395259515	395259615	395259815	395259915	85.00	3.346	70.00	2.756	80.00	3.150			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	16	395254016	395254316	395254416	395254516	395254616	395254716	395259016	395259316	395259416	395259516	395259616	395259816	395259916	90.00	3.543	75.00	2.953	85.00	3.346			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	17	395254017	395254317	395254417	395254517	395254617	395254717	395259017	395259317	395259417	395259517	395259617	395259817	395259917	95.00	3.740	80.00	3.150	90.00	3.543			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	18	395254018	395254318	395254418	395254518	395254618	395254718	395259018	395259318	395259418	395259518	395259618	395259818	395259918	100.00	3.937	85.00	3.346	95.00	3.740			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	19	395254019	395254319	395254419	395254519	395254619	395254719	395259019	395259319	395259419	395259519	395259619	395259819	395259919	105.00	4.134	90.00	3.543	100.00	3.937			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	20	395254020	395254320	395254420	395254520	395254620	395254720	395259020	395259320	395259420	395259520	395259620	395259820	395259920	110.00	4.331	95.00	3.740	105.00	4.134			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	21	395254021	395254321	395254421	395254521	395254621	395254721	395259021	395259321	395259421	395259521	395259621	395259821	395259921	115.00	4.528	100.00	3.937	110.00	4.331			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	22	395254022	395254322	395254422	395254522	395254622	395254722	395259022	395259322	395259422	395259522	395259622	395259822	395259922	120.00	4.724	105.00	4.134	115.00	4.528			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	23	395254023	395254323	395254423	395254523	395254623	395254723	395259023	395259323	395259423	395259523	395259623	395259823	395259923	125.00	4.921	110.00	4.331	120.00	4.724			
5.0mm, Euro Header, Vertical, Mounting Ends, High Temp	24	395254024	395254324	395254424	395254524	395254624	395254724	395259024	395259324	395259424	395259524	395259624	395259824	395259924	130.00	5.118	115.00	4.528	125.00	4.921			

SEE SHEET 1 EC NO: NEO2006-0310 DRAWN: LROTHAUS CHKD: CYRIL APPR: JPAWL DATE: 2006/01/09 DATE: 2006/01/10	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY LROTHAUS		DATE 12/6/05		TITLE 5.0MM, EURO HEADER, VERTICAL, HIGH-TEMP MOUNTING
			4 PLACES	± ---	± .0015	CHECKED BY C. YORK		DATE 01/06/06		
			3 PLACES	± 0.038	± .005	APPROVED BY		DATE		
			2 PLACES	± 0.13	± .01					
			1 PLACE	± 0.3	± ---					MOLEX INCORPORATED
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			ANGULAR ± 2 °		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-39525-001		SHEET NO. 2 OF 2	
A	REV		SIZE B THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							