

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0395934312](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



ENTER DESCRIPTION EC NO: NE02006-0310 DRAWN: LROTHAUS 2006/01/09 CHKD: CYRANK 2006/01/10 APPR: JAWALI CK 2006/01/10	DESCRIPTION QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY LROTHAUS	DATE 10-7-05	TITLE 5.0MM, EURO TERM. BLOCK PC MOUNT, 45 DEGREES			
		4 PLACES ± ---	± .0015		CHECKED BY C. YORK	DATE 01/06/06				
		3 PLACES ± 0.038	± .005		APPROVED BY	DATE				
		2 PLACES ± 0.13	± .01			MOLEX MOLEX INCORPORATED				
		1 PLACE ± 0.3	± ---							
		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39543-002		1 OF 1		
				SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

Description		Material Numbers						Dimensional Information			
		Black			Green						
		100% Tin			100% Tin			Dim. A		Dim B	
		Printing Options			Printing Options						
Circuit size	None	10A	11A	None	10A	11A	mm	inch	mm	inch	
5.0mm, Euro Block, PC Mount, 45 Deg	2	39543302	395436302	395438302	395933302	395938302	395938302	10.80	0.425	5.00	0.197
5.0mm, Euro Block, PC Mount, 45 Deg	3	39543303	395436303	395438303	395933303	395938303	395938303	15.80	0.622	10.00	0.394
5.0mm, Euro Block, PC Mount, 45 Deg	4	39543304	395436304	395438304	395933304	395938304	395938304	20.80	0.819	15.00	0.591
5.0mm, Euro Block, PC Mount, 45 Deg	5	39543305	395436305	395438305	395933305	395938305	395938305	25.80	1.016	20.00	0.787
5.0mm, Euro Block, PC Mount, 45 Deg	6	39543306	395436306	395438306	395933306	395938306	395938306	30.80	1.213	25.00	0.984
5.0mm, Euro Block, PC Mount, 45 Deg	7	39543307	395436307	395438307	395933307	395938307	395938307	35.80	1.409	30.00	1.181
5.0mm, Euro Block, PC Mount, 45 Deg	8	39543308	395436308	395438308	395933308	395938308	395938308	40.80	1.606	35.00	1.378
5.0mm, Euro Block, PC Mount, 45 Deg	9	39543309	395436309	395438309	395933309	395938309	395938309	45.80	1.803	40.00	1.575
5.0mm, Euro Block, PC Mount, 45 Deg	10	39543310	395436310	395438310	395933310	395938310	395938310	50.80	2.000	45.00	1.772
5.0mm, Euro Block, PC Mount, 45 Deg	11	39543311	395436311	395438311	395933311	395938311	395938311	55.80	2.197	50.00	1.969
5.0mm, Euro Block, PC Mount, 45 Deg	12	39543312	395436312	395438312	395933312	395938312	395938312	60.80	2.394	55.00	2.166
5.0mm, Euro Block, PC Mount, 45 Deg	13	39543313	395436313	395438313	395933313	395938313	395938313	65.80	2.591	60.00	2.362
5.0mm, Euro Block, PC Mount, 45 Deg	14	39543314	395436314	395438314	395933314	395938314	395938314	70.80	2.787	65.00	2.559
5.0mm, Euro Block, PC Mount, 45 Deg	15	39543315	395436315	395438315	395933315	395938315	395938315	75.80	2.984	70.00	2.756
5.0mm, Euro Block, PC Mount, 45 Deg	16	39543316	395436316	395438316	395933316	395938316	395938316	80.80	3.181	75.00	2.953
5.0mm, Euro Block, PC Mount, 45 Deg	17	39543317	395436317	395438317	395933317	395938317	395938317	85.80	3.378	80.00	3.150
5.0mm, Euro Block, PC Mount, 45 Deg	18	39543318	395436318	395438318	395933318	395938318	395938318	90.80	3.575	85.00	3.346
5.0mm, Euro Block, PC Mount, 45 Deg	19	39543319	395436319	395438319	395933319	395938319	395938319	95.80	3.772	90.00	3.543
5.0mm, Euro Block, PC Mount, 45 Deg	20	39543320	395436320	395438320	395933320	395938320	395938320	100.80	3.969	95.00	3.740
5.0mm, Euro Block, PC Mount, 45 Deg	21	39543321	395436321	395438321	395933321	395938321	395938321	105.80	4.166	100.00	3.937
5.0mm, Euro Block, PC Mount, 45 Deg	22	39543322	395436322	395438322	395933322	395938322	395938322	110.80	4.362	105.00	4.134
5.0mm, Euro Block, PC Mount, 45 Deg	23	39543323	395436323	395438323	395933323	395938323	395938323	115.80	4.559	110.00	4.331
5.0mm, Euro Block, PC Mount, 45 Deg	24	39543324	395436324	395438324	395933324	395938324	395938324	120.80	4.756	115.00	4.528

SEE SHEET 1 EC NO: NEO2006-0310 DRAWN: L.ROTHAUS CHKD: C.YORK APPR: J.PAWLIK A	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	5.0MM, EURO TERM. BLOCK PC MOUNT, 45 DEGREE	
				mm	INCH	DRAWN BY L.ROTHAUS	DATE 12/6/05	TITLE			
			4 PLACES	± .0005	± .0015	CHECKED BY	DATE				
			3 PLACES	± 0.038	± .005	C. YORK	01/05/06				
			2 PLACES	± 0.13	± .01	APPROVED BY	DATE				
			1 PLACE	± 0.3	± .005			MOLEX MOLEX INCORPORATED			
			ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39543-002		2 OF 2		
					SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				