


## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[0395938324](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



|                                                                                                                                |                                              |                                                            |         |                          |                       |                                                                                                                               |                                                          |                           |  |  |
|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|------------------------------------------------------------|---------|--------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|---------------------------|--|--|
| ENTER DESCRIPTION<br>EC NO: NE02006-0310<br>DRAWN: LROTHAUS 2006/01/09<br>CHKD: CYORK 2006/01/10<br>APPR: JAWALI CK 2006/01/10 | DESCRIPTION<br>QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |         | DIMENSION STYLE<br>MM/IN |                       | SCALE<br>4:1                                                                                                                  | DESIGN UNITS<br>INCH                                     | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                                |                                              |                                                            | mm      | INCH                     | DRAWN BY<br>LROTHAUS  | DATE<br>10-7-05                                                                                                               | TITLE<br>5.0MM, EURO TERM. BLOCK<br>PC MOUNT, 45 DEGREES |                           |  |  |
|                                                                                                                                |                                              | 4 PLACES ± ---                                             | ± .0015 |                          | CHECKED BY<br>C. YORK | DATE<br>01/06/06                                                                                                              |                                                          |                           |  |  |
|                                                                                                                                |                                              | 3 PLACES ± 0.038                                           | ± .005  |                          | APPROVED BY           | DATE                                                                                                                          |                                                          |                           |  |  |
|                                                                                                                                |                                              | 2 PLACES ± 0.13                                            | ± .01   |                          |                       | MOLEX MOLEX INCORPORATED                                                                                                      |                                                          |                           |  |  |
|                                                                                                                                |                                              | 1 PLACE ± 0.3                                              | ± ---   |                          |                       |                                                                                                                               |                                                          |                           |  |  |
|                                                                                                                                |                                              | ANGULAR ± 2 °                                              |         | MATERIAL NO.             |                       | DOCUMENT NO.                                                                                                                  |                                                          | SHEET NO.                 |  |  |
|                                                                                                                                |                                              | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |         | SEE CHART                |                       | SD-39543-002                                                                                                                  |                                                          | 1 OF 1                    |  |  |
|                                                                                                                                |                                              |                                                            |         | SIZE                     |                       | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                          |                           |  |  |

10 9 8 7 6 5 4 3 2 1

| Description                         |  | Circuit size | Material Numbers |           |           |                  |           |           | Dimensional Information |       |        |       |
|-------------------------------------|--|--------------|------------------|-----------|-----------|------------------|-----------|-----------|-------------------------|-------|--------|-------|
|                                     |  |              | Black            |           |           | Green            |           |           |                         |       |        |       |
|                                     |  |              | 100% Tin         |           |           | 100% Tin         |           |           |                         |       |        |       |
|                                     |  |              | Printing Options |           |           | Printing Options |           |           |                         |       |        |       |
|                                     |  |              | None             | 10A       | 11A       | None             | 10A       | 11A       | Dim. A                  | Dim B |        |       |
|                                     |  |              |                  |           |           |                  |           |           | mm                      | inch  | mm     |       |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 2            | 39543302         | 395436302 | 395438302 | 395936302        | 395938302 | 395938302 | 10.80                   | 0.425 | 5.00   | 0.197 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 3            | 39543303         | 395436303 | 395438303 | 395936303        | 395938303 | 395938303 | 15.80                   | 0.622 | 10.00  | 0.394 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 4            | 39543304         | 395436304 | 395438304 | 395936304        | 395938304 | 395938304 | 20.80                   | 0.819 | 15.00  | 0.591 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 5            | 39543305         | 395436305 | 395438305 | 395936305        | 395938305 | 395938305 | 25.80                   | 1.016 | 20.00  | 0.787 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 6            | 39543306         | 395436306 | 395438306 | 395936306        | 395938306 | 395938306 | 30.80                   | 1.213 | 25.00  | 0.984 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 7            | 39543307         | 395436307 | 395438307 | 395936307        | 395938307 | 395938307 | 35.80                   | 1.409 | 30.00  | 1.181 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 8            | 39543308         | 395436308 | 395438308 | 395936308        | 395938308 | 395938308 | 40.80                   | 1.606 | 35.00  | 1.378 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 9            | 39543309         | 395436309 | 395438309 | 395936309        | 395938309 | 395938309 | 45.80                   | 1.803 | 40.00  | 1.575 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 10           | 39543310         | 395436310 | 395438310 | 395936310        | 395938310 | 395938310 | 50.80                   | 2.000 | 45.00  | 1.772 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 11           | 39543311         | 395436311 | 395438311 | 395936311        | 395938311 | 395938311 | 55.80                   | 2.197 | 50.00  | 1.969 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 12           | 39543312         | 395436312 | 395438312 | 395936312        | 395938312 | 395938312 | 60.80                   | 2.394 | 55.00  | 2.166 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 13           | 39543313         | 395436313 | 395438313 | 395936313        | 395938313 | 395938313 | 65.80                   | 2.591 | 60.00  | 2.362 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 14           | 39543314         | 395436314 | 395438314 | 395936314        | 395938314 | 395938314 | 70.80                   | 2.787 | 65.00  | 2.559 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 15           | 39543315         | 395436315 | 395438315 | 395936315        | 395938315 | 395938315 | 75.80                   | 2.984 | 70.00  | 2.756 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 16           | 39543316         | 395436316 | 395438316 | 395936316        | 395938316 | 395938316 | 80.80                   | 3.181 | 75.00  | 2.953 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 17           | 39543317         | 395436317 | 395438317 | 395936317        | 395938317 | 395938317 | 85.80                   | 3.378 | 80.00  | 3.150 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 18           | 39543318         | 395436318 | 395438318 | 395936318        | 395938318 | 395938318 | 90.80                   | 3.575 | 85.00  | 3.346 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 19           | 39543319         | 395436319 | 395438319 | 395936319        | 395938319 | 395938319 | 95.80                   | 3.772 | 90.00  | 3.543 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 20           | 39543320         | 395436320 | 395438320 | 395936320        | 395938320 | 395938320 | 100.80                  | 3.968 | 95.00  | 3.740 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 21           | 39543321         | 395436321 | 395438321 | 395936321        | 395938321 | 395938321 | 105.80                  | 4.165 | 100.00 | 3.937 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 22           | 39543322         | 395436322 | 395438322 | 395936322        | 395938322 | 395938322 | 110.80                  | 4.362 | 105.00 | 4.134 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 23           | 39543323         | 395436323 | 395438323 | 395936323        | 395938323 | 395938323 | 115.80                  | 4.559 | 110.00 | 4.331 |
| 5.0mm, Euro Block, PC Mount, 45 Deg |  | 24           | 39543324         | 395436324 | 395438324 | 395936324        | 395938324 | 395938324 | 120.80                  | 4.756 | 115.00 | 4.528 |

|                                                                                               |                               |                                       |         |                                                                                                                               |        |                                                         |              |                        |                    |                     |  |
|-----------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------|--------------|------------------------|--------------------|---------------------|--|
| SEE SHEET 1<br>EC NO: NEO2006-0310<br>DRAWN: L.ROTHAUS<br>CHKD: C.YORK<br>APPR: J.PAWLIK<br>A | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) |         | DIMENSION STYLE                                                                                                               |        | SCALE                                                   | DESIGN UNITS | THIRD ANGLE PROJECTION |                    |                     |  |
|                                                                                               |                               |                                       |         | MM/IN                                                                                                                         |        | 4:1                                                     | INCH         |                        |                    |                     |  |
|                                                                                               |                               | 4 PLACES                              | ± 0.015 | DRAWN BY                                                                                                                      | DATE   | TITLE<br>5.0MM, EURO TERM. BLOCK<br>PC MOUNT, 45 DEGREE |              |                        |                    |                     |  |
|                                                                                               |                               | 3 PLACES                              | ± 0.038 | CHECKED BY                                                                                                                    | DATE   |                                                         |              |                        |                    |                     |  |
|                                                                                               |                               |                                       |         | 2 PLACES                                                                                                                      | ± 0.13 | C. YORK                                                 | 01/05/06     |                        | MOLEX INCORPORATED |                     |  |
|                                                                                               |                               |                                       |         | 1 PLACE                                                                                                                       | ± 0.3  | APPROVED BY                                             | DATE         |                        |                    |                     |  |
|                                                                                               |                               |                                       |         | ANGULAR ± 2 °                                                                                                                 |        | MATERIAL NO.                                            |              | DOCUMENT NO.           |                    | SHEET NO.<br>2 OF 2 |  |
|                                                                                               |                               |                                       |         | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                    |        | SEE CHART                                               |              | SD-39543-002           |                    |                     |  |
|                                                                                               |                               |                                       |         | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |        |                                                         |              |                        |                    |                     |  |

9 8 7 6 5 4 3 2 1