

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

<u>Anaren</u> A2541R24A-ADB1

For any questions, you can email us directly: sales@integrated-circuit.com



Distributor of Anaren: Excellent Integrated System Limited

Datasheet of A2541R24A-ADB1 - BOARD DEMO FOR A2541R24A

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



Anaren Integrated Radio (AIR)

Low-power RF modules, firmware & development tools that make it easy to 'go wireless'

BoosterPack Series

The A2541R24A-ADB1 B-SMART BoosterPack kit is a development tool designed for use with the TI MSP430[™] Value Line, TiVA-C, C2000 and other LaunchPad kits. The kit eases development of products that wirelessly communicate with devices incorporating *Bluetooth*[®] SMART technology per the *Bluetooth* 4.0 core specification*. The BoosterPack features an A2541R24A20 AIR module (based on TI's CC2541 low-power SoC) and is preloaded with Em-Ware firmware from Emmoco (based on TI's BLE-Stack).



A2541R24A-ADB1

Features

Kit:

- Includes one A2541R24A AIR Module BoosterPack, for connection to Ti's MSP430, TiVA-C, C2000, and other LaunchPad development tools (not included)
- Each BoosterPack includes indicator LEDs, current monitoring circuitry, and provision for an on-board MSP430 Value Line microprocessor
- Includes B-SMART breakout cable for easy connection to a wide variety of processors

AIR Module:

- Incorporates Ti's CC2541 SoC
- Tiny 11x19x2.5 mm footprint
- Pre-certified to FCC/IC and ETSI compliant
- Low power consumption

Firmware:

- Comes with Emmoco firmware (based on TI BLE Stack), designed for easy implementation of embedded-mobile-connectivity. Emmoco software and tools enable easy communication between an embedded device and Bluetooth SMART Ready phones and tablets
- Emmoco's Em-Builder tools and Schema concept generate code that makes sharing data between embedded and mobile devices easy




Benefits

- Provides "out of the box" wireless connectivity for easier development of applications based on the Bluetooth SMART standard
- Includes Emmoco firmware solution (based on Ti's BLE-Stack), which compresses time to market by greatly reducing the development time
- Provides an excellent learning/development tool for all levels of *Bluetooth* SMART expertise – as well as a clear, easy-to-understand migration path from development to production
- Part of the AIR Support—for Bluetooth SMART, a total solution from Anaren that includes development tools, firmware, applications support, and more

Applications

Industrial controls and monitoring, remote controls, home/building automation, lighting systems, low power wireless sensor networks, and consumer electronics, sports monitoring, health & wellness, among many others



The A2541R24A-ADB1 BoosterPack snaps onto the TILaunchPad (sold separately) or connects to other processors via the included cable.











Distributor of Anaren: Excellent Integrated System Limited

Datasheet of A2541R24A-ADB1 - BOARD DEMO FOR A2541R24A

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



Anaren Integrated Radio (AIR)

Low-power RF modules, firmware & development tools that make it easy to 'go wireless'

Module family overview

<u>General</u>

- 2.4-GHz RF transceiver incorporating Bluetooth SMART technology per the Bluetooth 4.0 core specification
- Excellent receiver sensitivity and robustness to interference (-89/-94dBm typical in BLE LGM/HGM mode with <0.1% BER)
- Wide input voltage range (2.0V 3.6V)
- Features TI TPS62730 step-down converter for optimal power usage
- Features 32.768kHz crystal for enabling ultra-low power sleep timer
- Choice of integral antenna or U.FL connector
- 100% RF tested in production
- Module weight approximately 0.7 grams

 <u>Current Consumption:</u> (Typ @ TC = 25°C, VDD = 3.0V)
- Active mode RX (CPU Idle): 14 mA
- Active mode TX (CPU Idle): 13 mA @0dBm, with 3 low power/sleep modes from 0.5uA to 270 uA

Microcontroller.


- High-performance and low-power 8051 Microcontroller core with code prefetch
- 256KB in-system programmable flash and 8KB RAM with retention in all power modes

Firmware:

 Preloaded with Emmoco firmware featuring Bluetooth SMART technology, designed for easy implementation of embedded-mobile-connectivity

Layout information

BoosterPack features shown below; see User's Manual for more information.



- A AIR Radio Module
- B External MCU connection
- C Launchpad configuration jumpers
- D SoC reset switch
- E MSP430 MCU provision
- F Current sensing
- G Administrative UART
- H LEDs
- Control switches
- Switch
- K Voltage regulator bypass

To view the entire family of AIR modules & development tools, please visit our website at:

http://www.anaren.com/air



PLEASE NOTE: Additional information on the Texas Instruments CC2541 can be found at http://www.ti.com

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Anaren Inc. is under license. Other trademarks and trade names are those of their respective owners.



This product is not to be used in any implantable medical device or external medical device intended to regulate or monitor biological functions, including but not limited to devices such as pacemakers, defibrillators, cardiac resynchronization devices, pressure sens ors, biochemical stimulators and neurostimulators. ANAREN MAKES NO WARRANTY OF FITNESS OR MERCHANTABILITY OF THIS PRO DUCT FOR ANY USE OF THIS TYPE. Anaren shall not be responsible for any consequential damages arising from the sale or use of this product for any use of this type. The ultimate user of the product assumes all risk of personal injury or death arising from a prohibited use.

IMPORTANT: The A2541 R24A-ADB1 BoosterPack is a tool to aid in the development and testing of wireless communication applications; it is not to be used in the actual production of wireless end-products or for resale as a wireless communications network.

Nomenclature

A2541R24A-ADB1

- Α
- 1 Chip series
- 2 Function
- 3 Frequency band
- 4 Form factor
- 5 Module Type

Anaren)

(CC1101, CC2500, CC2530, CC2541) (R = radio only, E=Range Extender)

(x100MHz)

(A = Internal Antenna)

(EM1 = Eval Module, EZ4x = EZ-430 Module, LPx / ADBx = BoosterPack)



The item described in this product brief is part of our total AIR Support solution. To learn more, visit our website or just ask us!

For more information see product User's Manual, available online.



