

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[181-00261](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

HellermannTyton

181-00261

Article Number: 181-00261

Wiring Duct Cover for 2 1/2" Duct, 6 ft Long, PVC, Gray, 30ft/Box



Download spec sheet

Base Data

Local Order Number 181-00261

Type TC2.5

Color Gray (GY)

Features and Benefits

- A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.
- Cover is flush with the side of the duct for increased wire capacity and allows for tight, side by side duct placement.
- Covers are provided with a non-slip lining, which insures the covers remain in place during vibration, yet they easily snap on and off. (Covers to be purchased separately)

Product Description HellermannTyton's Pro-Duct wiring duct covers are sold separately and interchangeable among the 3 styles of duct (solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colors of white, gray and black. Wiring duct covers are available in 6 foot lengths.

Short Description Wiring Duct Cover for 2 1/2" Duct, 6 ft Long, PVC, Gray, 30ft/Box

Product Dimensions

Length L (Imperial) 6.0 ft

Length L (Metric) 1.83 m

Width W (Imperial) 2.5 "

Width W (Metric) 63.5 mm

Logistics and Packaging

Quantity Per box

Package Quantity 30.0 ft

Package Quantity (Metric) 9.1 m

Carton Quantity 120.0 ft

Material and Specifications

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability self-extinguishing

Operating Temperature +122°F (+50°C)

ROHS Compliant Yes

UL Listed (US and Canada) No

UL Recognized (US and Canada) No

UL Recognized (US) Yes



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of 181-00261 - TC2.5 GRAY PVC DUCTCOVER MOD

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com
