

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[556-00252](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

556-00252



Article Number: 556-00252

Replacement Power Supply, TT130SMC Printer, Black, 1/EA



Download spec sheet

Base Data

Local Order Number 556-00252

Type TT130PWRSLY

Color Black (BK)

Features and Benefits

- Compact, lightweight design saves space and is easy to transport.
- Integrated cutter cuts continuous media to any length.
- Designed to work with TagPrint® Pro label design software for ultimate label printing capabilities.

Product Description Designed for high volume, industrial grade printing, HellermannTyton's TT130SMC thermal transfer printer is made of durable materials for long life in a variety of applications and environments. The compact, portable design makes it ideal for transporting to work sites. HellermannTyton thermal transfer printers work flawlessly with HellermannTyton TagPrint® Pro label printing software to create customized labels. An integrated cutter cuts continuous label media and an optional caddy holds larger label stock reels to allow higher capacity printing.

Short Description Replacement Power Supply, TT130SMC Printer, Black, 1/EA

Product Dimensions

Length L (Imperial) 4.5 "

Length L (Metric) 114.3 mm

Width W (Imperial) 2.25 "

Width W (Metric) 57.15 mm

Height H (Imperial) 1.5 "

Height H (Metric) 38.1 mm

Print Method Thermal Transfer

Logistics and Packaging

Quantity Per EA

Package Quantity 1

Package Quantity (Metric) 1

Material and Specifications

Material Plastic

Adhesive Operating Temperature +40°F to +104°F (+4°C to +40°C)

ROHS Compliant Yes

UL Listed (US and Canada) Yes

