

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[Molex Connector Corporation](#)
[0764507108](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


NOTES:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL94-V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
2. FINISH 304H SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN
ON PCB TAILS, NICKEL, OVERALL.
3. FOR FURTHER INFORMATION SEE PRODUCT SPECIFICATION PS-76060-999.
EACH SIGNAL WAFER CANNOTS 2 COLUMNS OF TERMINALS.
5. PRODUCT TO BE PACKAGED PER PACKAGING SPECIFICATION PK-70873-077.
THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPEC PS-4549-002.
6. REFER TO MOLEX SLES DRAWING 30-7660-000 FOR MATING DATA AND ROUTING.
8. REFER TO MOLEX PCB ROUTING GUIDE 52-7460-000 FOR ANTIPLATE GUIDANCE.
9. RECOMMENDED.
9. WHEN USING MOLEX SUPPLIED ± 0.3 mm STRIP 73726-0005 (7.62 ± 0.30 V.16 mm)
THREADABLE STRIP LENGTH, THE BOARD THICKNESS RANGE IS 1.60 TO 3.85 mm.



fb_frame D.P.AM.1

COPLANAR APPLICATION



QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	mm	INCH	MM ONLY					
▽	4 PLACES	±---	DRAWN BY	DATE	5:1	METRIC	IMPACT 100 OHM 2 PAIR RAM LEFT GUIDED SALES DRAWING	
▽	3 PLACES	±---	JJONIAK	2009/07/06				
▽	2 PLACES	±0.13	CHECKED BY	DATE	5:1	METRIC	SD-76450-002	
▽	1 PLACE	±0.25	JLAURX	2009/07/06				
	0 PLACE	±---	APPROVED BY	DATE	5:1	METRIC	SD-76450-002	
			JLAURX	2010/02/09				
ANGULAR ±1/2°			MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-76450-002			
			SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			