

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0765601608](#)





For any questions, you can email us directly:

sales@integrated-circuit.com

MATERIAL NUMBER	# OF COLUMNS	# OF OFF. PAIR	DM 'A' MAX	DM 'B' PTH	PTH
76560-15+	10	60	19.00	17.50	0.46±0.05
76560-17+	14	84	26.60	24.70	0.46±0.05
76560-16+	16	96	30.40	28.50	0.46±0.05
76560-15+	10	60	19.00	17.50	0.39±0.05
76560-17+	14	84	26.60	24.70	0.39±0.05
76560-16+	16	96	30.40	28.50	0.39±0.05

76560-***
MODULE TYPE
1 = UNGUIDED, LEAD-FREE
PIN LENGTH (P)
4 = 4.90 (0.46 PTH)
5 = 5.50 (0.46 PTH)
7 = 4.90 (0.39 PTH)
8 = 5.50 (0.39 PTH)
OF COLUMNS
1 = 10 COLUMNS
6 = 16 COLUMNS
7 = 14 COLUMNS



- NOTES:
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL94V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
2. FINISH: 30μN SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-76060-999 FOR PERFORMANCE SPECIFICATIONS AND ADDITIONAL PCB INFORMATION.
4. EACH SIGNAL WAFER CONTAINS 2 COLUMNS OF TERMINALS.
5. PRODUCT IS PACKAGED PER PK-76073-777.
6. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPEC PS-45499-002.
7. REFER TO MOLEX SALES DRAWING SD-76150-001 FOR THE MATING RECEPTABLES.
8. REFER TO MOLEX PCB ROUTING GUIDE AS-76060-990 FOR ANTI PAD AND ROUTING RECOMMENDATIONS.
9. OPEN WALL VERSION SHOWN FOR CLARITY. SEE PCB LAYOUT FOR OVERALL LENGTH ADDITION ON THE ASSEMBLY WITH ENDWALLS.
10. MARKING LOCATED APPROXIMATELY AS SHOWN, PART NUMBER AND DATE CODE.
11. THESE DIMENSIONS REPRESENT THE AREA NEEDED TO ACCOMMODATE CONNECTOR INSERTION AND REPAIR ON THE PCB. THIS IS REFERRED TO AS THE 'CONNECTOR KEEP OUT ZONE' AND DOES NOT REPRESENT THE ACTUAL PERIMETER OF THE CONNECTOR.



RAM HOLE PATTERN
(CONNECTOR SIDE)

XPRO RELEASE DATE: 06-07-2005-3990 DRAWN BY: JGONZALEZ01 CHECKED BY: JGONZALEZ01 APPROVED BY: TELO DATE: 01-10-2016	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		mm	INCH	mm ONLY	DATE			
	▽=0	4 PLACES ±---	±---	DRAWN BY JGONZALEZ01	2014/11/24	IMPACT 6 PAIR RAM MARRIED - UNGUIDED SALES DRAWING molex		
	▽=0	3 PLACES ±---	±---	CHECKED BY	DATE			
	▽=0	2 PLACES ±0.13	±---	APPROVED BY TELO	2016/01/10			
	▽=0	1 PLACE ±0.25	±---					
		0 PLACE ±---	±---					
		ANGULAR ±1/2°		MATERIAL NR. SEE TABLE		DOCUMENT NR. SD-76560-9001		SHEET NO. 1 OF 2
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

COPLANER APPLICATION



COPLANER MATED SIGNAL PATHS

RAM PIN A10-----DC PIN A10

RAM PIN A1-----DC PIN A1

SEE SHEET 1 EC NO. UEP205-3090 DRAWN: JGONZALEZ01 2014/11/24 CHKD: TELLO APPROVED: TELLO REV: 2016/01/10	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM ONLY		4:1	METRIC		
	▽=0	4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE		
	▽=0	3 PLACES	± ---	± ---	JGONZALEZ01	2014/11/24			
	▽=0	2 PLACES	± 0.13	± ---	CHECKED BY	DATE	IMPACT 6 PAIR RAM MARRIED - UNGUIDED SALES DRAWING		
	▽=0	1 PLACE	± 0.25	± ---	APPROVED BY	DATE			
		0 PLACE	± ---	± ---	TELO	2016/01/10	molex		
		ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.	SD-76560-9001		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SHEET NO.			
				SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			