

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0765601728](#)




For any questions, you can email us directly:

sales@integrated-circuit.com

MATERIAL NUMBER	# OF COLUMNS	# OF OFF. PAIR	DM 'A' MAX	DM 'B' PTH	PTH
76560-15**	10	60	19.00	17.50	0.46±0.05
76560-17**	14	84	26.60	24.70	0.46±0.05
76560-16**	16	96	30.40	28.50	0.46±0.05
76560-15**	10	60	19.00	17.50	0.39±0.05
76560-17**	14	84	26.60	24.70	0.39±0.05
76560-16**	16	96	30.40	28.50	0.39±0.05

76560-***
MODULE TYPE
1 = UNGUIDED, LEAD-FREE
PIN LENGTH (P)
4 = 4.90 (0.46 PTH)
5 = 5.50 (0.46 PTH)
7 = 4.90 (0.39 PTH)
8 = 5.50 (0.39 PTH)
END WALL OPTIONS
0 = OPEN
1 = LEFT END WALL
2 = DUAL END WALL
3 = RIGHT END WALL
OF COLUMNS
1 = 10 COLUMNS
6 = 16 COLUMNS
7 = 14 COLUMNS



NOTES:
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL94V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
2. FINISH: 30μN SELECTIVE GOLD IN CONTACT AREA, SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-76060-999 FOR PERFORMANCE SPECIFICATIONS AND ADDITIONAL PCB INFORMATION.
4. EACH SIGNAL WAFER CONTAINS 2 COLUMNS OF TERMINALS.
5. PRODUCT IS PACKAGED PER PK-76073-777.
6. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPEC PS-45499-002.
7. REFER TO MOLEX SALES DRAWING SD-76150-001 FOR THE MATING RECEPTABLES.
8. REFER TO MOLEX PCB ROUTING GUIDE AS-76060-990 FOR ANTI PAD AND ROUTING RECOMMENDATIONS.
9. OPEN WALL VERSION SHOWN FOR CLARITY. SEE PCB LAYOUT FOR OVERALL LENGTH ADDITION ON THE ASSEMBLY WITH ENDWALLS.
10. MARKING LOCATED APPROXIMATELY AS SHOWN, PART NUMBER AND DATE CODE.
11. THESE DIMENSIONS REPRESENT THE AREA NEEDED TO ACCOMMODATE CONNECTOR INSERTION AND REPAIR ON THE PCB. THIS IS REFERRED TO AS THE 'CONNECTOR KEEP OUT ZONE' AND DOES NOT REPRESENT THE ACTUAL PERIMETER OF THE CONNECTOR.



RAM HOLE PATTERN
(CONNECTOR SIDE)

X/PROF. RELEASE EC NO. UPEF2005-30411/24 DRAWING: JGONZALEZ01 2014/11/24 APPROVED: 2016/01/10	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
			MM ONLY	DATE			
DESCRIPTION	▽=0	mm	INCH	DRAWN BY	DATE	TITLE	IMPACT 6 PAIR RAM MARRIED - UNGUIDED SALES DRAWING
	▽=0	2 PLACES ±---	±---	JGONZALEZ01	2014/11/24		
REV	▽=0	3 PLACES ±---	±---	CHECKED BY	DATE	APPROVED BY	DATE
	▽=0	2 PLACES ±0.13	±---	TELO	2016/01/10		
	▽=0	1 PLACE ±0.25	±---				
		0 PLACE ±---	±---				
		ANGULAR ±1/2°		SEE TABLE		DOCUMENT NO.	SD-76560-9001
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE	D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
						SHEET NO.	1 OF 2

COPLANER APPLICATION



COPLANER MATED SIGNAL PATHS

RAM PIN A10-----DC PIN A10

RAM PIN A1-----DC PIN A1

QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
				MM ONLY		4:1		METRIC			
SEE SHEET 1		4 PLACES ± ---		DRAWN BY		DATE		TITLE		IMPACT 6 PAIR RAM MARRIED - UNGUIDED SALES DRAWING	
EC NO. UEP205-3090		3 PLACES ± ---		JGONZALEZ01		2014/11/24					
DRAWN: JGONZALEZ01		2 PLACES ± 0.13		CHECKED BY		DATE		DOCUMENT NO.		SD-76560-9001	
CHKD: TELLO		1 PLACE ± 0.25		APPROVED BY		DATE					
APP: TELLO		0 PLACE ± ---		TELO		2016/01/10		SHEET NO.		2 OF 2	
REV: 2016/01/10		ANGULAR ± 1/2°		MATERIAL NO.		DATE					
A		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		DATE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
				SIZE D							