

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0857190101](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



FRONT VIEW HYPERJACK 1000 POE+ ICM NON LED VERSION P/N 85719-0003



P / N	VERSION
85719-0101	LED VERSION
85719-0003	NON LED VERSION

- NOTES:
- 1 - SHIELD MATERIAL: BRASS, PLATING: NICKEL PRE-PLATING
 - 2 - PLASTIC MATERIAL: POLYESTER (PBT), BLACK, UL94V-0
 - 3 - TERMINALS MATERIAL: COPPER ALLOY
RJ45 CONTACT PLATING: 0.76 MICROMETER GOLD OVER 1.9 MICROMETER NICKEL
SOLDER TERMINALS: 3 MICROMETER TIN
 - 4 - JACK TO BE MATED WITH FCC 68.5 PLUGS / IEC 60603-7 PLUGS
 - 5 - PRODUCT SPECIFICATION: RPS-85719-001
 - 6 - PACKAGING SPECIFICATION: PK-85719-101
 - 7 - TRACES WITHOUT INSULATION NOT ALLOWED IN THE DASHED AREAS.
(TO AVOID SHORTS TO SHIELD)
 - 8 - STAND OFF TO SYSTEM BOARD

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: MG2012-0006		▽=0		mm INCH		MM/IN		2:1		METRIC		THIRD ANGLE PROJECTION	
DRAWN: JBADER		▽=0		4 PLACES ±---		DRAWN BY		DATE		TITLE		HYPERJACK 1000	
CHKD: MMANGARUDOV				3 PLACES ±---		CHECKED BY		DATE		DATE		POE+ PSE ICM	
APPR: SSTEINKE				2 PLACES ±0.25 ±.02		APPROVED BY		DATE		DATE		2X6	
				1 PLACE ±0.5 ±---		SSTEINKE		2009/03/11		MATERIAL NO.		MOLEX INCORPORATED	
				ANGULAR ± 1°		SEE BOM		DOCUMENT NO.		SD-85719-101		SHEET NO.	
A				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				1 OF 3	

