

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Panduit](#)
[CT-980](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES UNLESS OTHERWISE SPECIFIED:

PANDUIT TOOL NUMBER CT-980 DIELESS CRIMP TOOL INSTALLS # 4 AWG THRU 750 MCM COPPER CONNECTORS AND # 6 AWG THRU 500 MCM ALUMINUM CONNECTORS.

TOOL OUTPUT = 5.5 METRIC TONS / 6.2 SHORT TONS

TOOL WEIGHT = 11.4 LBS / 5.2 Kg

TOOL HAS YELLOW FIBERGLASS HANDLES WITH BLACK RUBBER GRIPS

HINGED TOOL HEAD ROTATES FREELY (180 DEGREES) AND LOCKS IN PLACE WITH PIN AND D-RING

TOOL CRIMP HEAD ROTATES 360 DEGREES ABOUT LOWER HANDLE CENTER LINE

DO NOT USE TOOL ON LIVE CIRCUITS

SEE SHEET 1 FOR TOOL DIMENSIONS

										PANDUIT CORP. TINLEY PARK, ILLINOIS	
										CT-980 CUSTOMER DRAWING	
										UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: 1.X1 ± 1.XXX ± 1.XX1 ± ANGLES ±	
										UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.	
										SCALE	
										SHEET 2 OF 2	
										DRAWING NO. TP24501A01	
										DWG SIZE A	
00 SEE SHEET 1 FOR RELATED INFO 3985 RFL											
REV	DATE	BY	CHK	DESCRIPTION				ECN	R	CUST	SUP