

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Johanson Technology Inc.](#)
[3350BP39A0500E](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

High Frequency Ceramic Solutions

3.35 GHz Band Pass Filter

P/N 3350BP39A0500

Detail Specification: 01/29/10

Page 1 of 2

General Specifications

Part Number	3350BPA0500	
Frequency (MHz)	3100 ~ 3600	
Attenuation (min.)	500 ~ 2000 MHz	35 dB
Attenuation (min.)	2500 MHz	30 dB
Attenuation (min.)	2950 MHz	5 dB
Attenuation (min.)	4000 MHz	10 dB
Attenuation (min.)	5000 MHz	28 dB
Attenuation (min.)	6000 ~ 8000 MHz	30 dB
Attenuation (Ref.)	8000 ~ 10000 MHz	20 dB

Insertion Loss	2.0 dB max.
Return Loss	9.5 dB min.
Input Power	500 mW max.
Impedance	50 Ω
Reel Quantity	3000
Operating Temperature	-40 to +85°C
Storage Temperature	+5 ~ +35°C, Humidity 45~75%RH, 12 mos. Max*

*12 months in vacuum sealed bag and 1 week after

P/N	Packaging	Bulk	Suffix = S	Eg. 3350BP39A0500
	Style	T & R	Suffix = E	Eg. 3350BP39A0500E
	Termination	100% Tin	Suffix = None	Eg. 3350BP39A0500(E or S)
	Style	Tin / Lead	Suffix = /Pb	Eg. 3350BP39A0500(E or S)/Pb

Terminal Configuration

No.	Function
1	GND
2	OUT
3	GND
4	IN

Mechanical Dimensions


	In	mm	
L	0.098 ± 0.008	2.50 ± 0.20	
W	0.079 ± 0.008	2.00 ± 0.20	
T	0.037 ± 0.004	0.95 ± 0.10	
a	0.012 ± 0.008	0.30 ± 0.20	
b	0.024 ± 0.008	0.60 ± 0.20	
c	0.012 ± 0.008	0.30 ± 0.20	

Mounting Considerations

Mount these devices with brown mark facing up.

* Line width should be designed to provide 50 Ω impedance matching characteristics.

Units: mm



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.

High Frequency Ceramic Solutions


3.35 GHz Band Pass Filter

P/N 3350BPA0500

Detail Specification: 01/29/10

Page 2 of 2

Typical Electrical Performance (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.