

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[0490590000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



General ordering data

Order No.	0490590000
Part designation	DEK 6,5 SONDERDR.FARBIG
Version	Connector markers, L x W: 6.5 x 5 mm, Polyamide 66, Miscellaneous
EAN	4008190004828
Qty.	500 pc(s).

Markings

Cadmium	no
Can be labelled with thermal transfer printers	No
Can be printed with plotter	No
Can be written with dot-matrix printer	No
Can be written with laser printer	No
Colour of printing	black
Function	Connector markers
Halogen	no
Length	6.5 mm
Material	Polyamide 66
Material colour	Miscellaneous
Max. temperature, continuous	100 °C
Min. temperature, continuous	-40 °C
Orientation of print	horizontal and vertical
Pin can be written (STI)	No
Pitch	6.5 mm
PrintJet	No
Printed characters	Mixed characters
Printing method	MC Laser
Speed marking laser	No
Type of printing	To customer specification
UL 94 flammability class	V2
Width	5 mm

Classifications

ETIM 2.0	EC000761
----------	----------

Classifications

ETIM 3.0	EC000761
eClass 4.1	24-19-02-19
eClass 5.0	27-14-11-37
eClass 5.1	27-14-11-37

Similar products

Order No.	Part designation	Version
0490560000	DEK 6,5 SONDERDRUCK	Connector markers, L x W: 6.5 x 5 mm, Polyamide 66, white